



Crescent Hand Tools Catalogue

 **CRESCENT**

 **CRESCENT**
Wiss

 **CRESCENT**
Lufkin

 **CRESCENT**
NICHOLSON



Trusted by the Trades.



 CRESCENT
Wiss[®]

Aviation Snips • Shears • Scissors •
Knives Cutters • Rebar Tools

6

 CRESCENT
Lufkin[®]

Tapes • Wheels • Long Tapes • Squares &
Rules • Oil Gauging • Accessories

28

 CRESCENT
NICHOLSON[®]

Files • Rasps • Sets •
Specialty Files

50

 CRESCENT[®]

Pry Bars • Renovation Bars •
Nail Pullers

74

INNOVATIVE SOLUTIONS FOR BETTER PRODUCTS. THAT'S CRESCENT.

Ever since the introduction of its Crescent Adjustable Wrench in 1907, Crescent is a name trusted by generations of professional tradespeople. The Apex Tool Group, LLC, is building on this trust by expanding the Crescent line to include other famous hand tool brands under the Crescent name.

All of these other brands have built remarkable reputations on their own. Together with the Crescent® brand, Crescent Wiss® snips, scissors, shears, and knives, Crescent Lufkin® measuring tapes and rules, and Crescent Nicholson® files and rasps, they offer professional tradespeople a comprehensive number of quality products that they can count on to produce professional results - all under the Crescent banner. With several hundred years of collective experience, Crescent and its supporting brands have proven to be **"Trusted by the Trades."**



Crescent is part of the umbrella company Apex Tool Group, LLC. With 7,500 employees in over 30 countries and an annual turnover of more than USD 1,3 billion, the Apex Tool Group, headquartered in Sparks, Maryland, is a leading global manufacturer and supplier of high-performance hand and power tools, tool storage, drill chucks, chain and electrical soldering products for industrial, commercial and demanding do-it-yourself applications.

ATG designs, manufactures, markets, and sells proprietary brands, including GEAR-WRENCH®, Crescent®, SATA®, Cleco®, Weller®, and APEX® and also designs and manufactures a number of private label tool brands for retailers. ATG sells its products through direct, retail, professional and trade channels to customers in over 115 countries, and serves a multitude of global markets, including automotive, aerospace, electronics, energy, hardware, industrial, and consumer retail.

Learn more at www.apextoolgroup.com.



Cutting

Aviation Snips •
Shears • Scissors •
Knives Cutters •
Rebar Tools

The Professional's Standard in Cutting

The CRESCENT Wiss brand earns its reputation for craftsmanship and long life and has been doing so since 1848. Driven by two simple principles - performance and durability - the brand has remained the undisputed market leader in professional aviation snips. It is these two principles that have earned the trust of the professional tradesperson. The extensive CRESCENT Wiss line of products includes scissors, snips, and specialty trade tools.

SELECTION CHARTS

Find the right tool for your job.

Simply find your requirements in the listing. The applicable tools are indicated in the chart.

SNIPS

	M1R	M2R	M3R	M1X	M2X	M3X	M5R	M6R	M7R	M8OSS	M400	MPC3	MPX5
PAGE NO.	11	11	11	13	13	13	14	15	15	15	16	16	16
USE													
Do-it Yourselfer	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Roofer	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mechanic	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Autobody Worker	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Plumber	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Heating and Cooling Specialist	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Electrician	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vocational Teacher	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Maintenance Worker	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
CUTTING DIRECTION													
Cuts straight lines and left arcs	◆			◆			◆						
Cuts straight lines and right arcs		◆			◆			◆					
Cuts straight lines and right and left arcs			◆			◆	◆			◆	◆	◆	◆
HANDED													
Both	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
CUTTING CAPACITY													
Cuts up to 20 gauge low carbon, rolled steel [0,89 mm]											◆	◆	◆
Cuts up to 18 gauge low carbon, rolled steel [1,22 mm]	◆	◆	◆	◆	◆	◆		◆	◆	◆			
Cuts up to 16 gauge low carbon, rolled steel [1,65 mm]							◆						
WISS SNIPS FOR SPECIAL JOBS													
Trimming heavy stock							◆			◆			
Notching heavy stock							◆						
Cutting steel strap			◆										
Cutting aluminium and plastic											◆		
Cutting metals and other materials like plastic, vinyl, leather, paper, roof shingles, screen, and much more												◆	◆
CUTTER HEAD / BLADES													
Offset blades								◆	◆	◆	◆		
Serrated blades	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
HANDLE													
Single material non-slip handle	◆	◆	◆				◆	◆	◆	◆	◆	◆	◆
Dual material non-slip handle				◆	◆	◆							

SHEARS AND SCISSORS

	CW812S	CW10T	CW10TL	CW10TM	CW11TM	CW7T	CW5T	W8TA	W912	W20	W20LH	W22N	W20SP	W125HLSP	W20P	W22P	W20W	W22W	166	1DSN	WHCS2	WEZSNIPEU
PAGE NO.	19	19	19	19	20	20	20	21	21	22	22	22	22	23	23	23	23	23	24	24	21	22
USE																						
General use [e.g. paper, card-board, thread, etc.]	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Special designed for cutting specific materials		◆	◆	◆	◆	◆	◆		◆	◆	◆	◆			◆	◆	◆	◆				
Cutting rope and twine		◆	◆	◆	◆	◆			◆													
Cutting leather		◆	◆	◆	◆	◆																
Cutting plastics		◆	◆	◆	◆	◆																
Cutting heavy fabric		◆	◆	◆	◆	◆				◆	◆	◆			◆	◆	◆	◆				
Cutting upholstery											◆	◆	◆		◆	◆	◆	◆				
Cutting composite materials										◆	◆	◆			◆	◆						
Cutting carpet																	◆	◆				
Cutting drapery																	◆	◆				
Cutting wire							◆															◆
Gardening																						◆
HANDED																						
Both	◆				◆	◆	◆	◆	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Left			◆								◆											
Right		◆		◆																		
SIZE																						
5 in / 127 mm							◆														◆	
6-1/4 in / 159 mm																			◆			
7 in / 178 mm							◆															
8 in / 203 mm								◆														
8-1/4 in / 210 mm																					◆	
8-1/2 in / 216 mm	◆																			◆		
10 in / 254 mm		◆	◆	◆						◆	◆	◆		◆	◆		◆					
10-3/8 in / 264 mm													◆									
11 in / 279 mm						◆																
12 in / 305 mm												◆				◆		◆				
BLADE MATERIAL																						
Premium grade stainless steel	◆						◆	◆	◆												◆	◆
Hot drop-forged nickel-plated premium grade stainless steel										◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		
Titanium coated premium grade steel		◆	◆	◆	◆	◆																
CUTTER HEAD / BLADES																						
Bottom Serrated	◆				◆	◆	◆		◆													
Smooth		◆	◆																			
Rounded												◆	◆						◆			
Extra thick blades																	◆	◆				
FEATURES																						
TPR comfort grip handles with soft grip		◆				◆															◆	
Full metal core				◆	◆																	
Quick release latch with spring-loaded design					◆	◆																◆
Take-apart blades							◆															
SET-EASY pivot adjustment										◆	◆	◆			◆	◆	◆	◆		◆	◆	
High leverage														◆	◆	◆	◆	◆				

NEXT GENERATION WISS SNIPS

Snips made to earn the trust of a new generation.

The New Generation Wiss Snips build off the success of the previous snips line and set the bar even higher: The next generation snips last 60% longer and require 20% less force to cut. That's why Crescent Wiss is the undisputed leading brand of snips for sheet metal professionals.

AVIATION SNIPS

- Blade serrations hold material firmly and spread cutting force uniformly across blade edge, improving cut quality and tool life
- Superior design prevents tears at end of cuts by controlling blade bypass; minimizes folding and burrs
- Cuts up to 18 gauge low carbon, rolled steel
- Spring-action handle for a faster, effortless feed
- Handles have built-in stops, providing consistent operation and blade opening
- Free float design on the pivot bolt provides longer life
- Single-handed latch operation for left or right-handed use
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Made in the USA

6X
PIVOT BOLT
LIFE

4X
SPRING
LIFE

UP TO
10X
CUT LIFE



Integrated Handle Ring
For hanging or easy storage

Ergonomic Non-Slip Grips
Provide excellent control and easy cleaning

Ergonomic Latch
For fast, single-handed operation with either hand

Improved Pivot Design
Features built-in stops for consistent jaw opening and upgraded spring action for fast, effortless feed

Precision Cast Blades
Feature durable serrations that spread cutting force across jaw, improving cut quality and tool life

CATALOG NO.	DESCRIPTION	BARCODE
M1R	Aviation Snip	037103580122

- Cuts straight lines and left arcs with red handles for quick identification



TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
248	35	Both	Serrated	18 Gauge Low Carbon Steel (1,22 mm)	0,396	6	Carded

CATALOG NO.	DESCRIPTION	BARCODE
M2R	Aviation Snip	037103580184

- Cuts straight lines and right arcs with green handles for quick identification



TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
248	35	Both	Serrated	18 Gauge Low Carbon Steel (1,22 mm)	0,396	6	Carded

CATALOG NO.	DESCRIPTION	BARCODE
M3R	Aviation Snip	037103580214

- Cuts straight lines and right and left arcs with yellow handles for quick identification
- Cuts steel strap



TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
248	38	Both	Serrated	18 Gauge Low Carbon Steel (1,22 mm)	0,408	6	Carded

WISS EDGE AVIATION SNIPS

- Blade serrations hold material firmly and spread cutting force uniformly across blade edge, improving cut quality and tool life
- Handle design and compound-leverage mechanism make cutting easier and reduce hand fatigue
- Integrated stops make sure the blades open all the way, every time, for maximum length of cut
- Cuts up to 18 gauge low carbon, rolled steel
- Handle latch keeps blades closed during storage or when not in use
- Dual material handle grips provide comfortable grip with built-in hang hook
- Made in the USA



CATALOG NO.	DESCRIPTION	BARCODE
M1X	Edge Aviation Snip	037103278678

- Cuts straight lines and left arcs with red handles for quick identification



TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
248	32	Both	Serrated	18 Gauge Stainless Steel (1,22 mm)	0,431	6	Carded

CATALOG NO.	DESCRIPTION	BARCODE
M2X	Edge Aviation Snip	037103278685

- Cuts straight lines and right arcs with green handles for quick identification



TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
248	32	Both	Serrated	18 Gauge Stainless Steel (1,22 mm)	0,431	6	Carded

CATALOG NO.	DESCRIPTION	BARCODE
M3X	Edge Aviation Snip	037103278692

- Cuts straight lines and right and left arcs with yellow handles for quick identification



TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
248	35	Both	Serrated	18 Gauge Stainless Steel (1,22 mm)	0,431	6	Carded

M5R BULLDOG AVIATION SNIPS

CATALOG NO.	DESCRIPTION	BARCODE
M5R	Bulldog Aviation Snip	037103580252



- Cuts straight lines and right and left arcs with red handles for quick identification
- For notching or trimming extra heavy stock
- Blade serrations hold material firmly and spread cutting force uniformly across blade edge, improving cut quality and tool life
- Cuts up to 16 gauge low carbon, rolled steel
- Withstands strain of cutting heavy stock and tight curves
- Spring-action handle for a faster, effortless feed
- Handle latch keeps blades closed during storage or when not in use
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Made in the USA

TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
235	22	Both	Serrated	16 Gauge Low Carbon Steel (1,65 mm)	0,181	6	Carded



OFFSET AVIATION SNIPS

- Offset blades keep hands clear of metal while cutting
- Blade serrations hold material firmly and spread cutting force uniformly across blade edge, improving cut quality and tool life
- Cuts up to 18 gauge low carbon, rolled steel
- Spring-action handle for a faster, effortless feed
- Handle latch keeps blades closed during storage or when not in use

CATALOG NO.	DESCRIPTION	BARCODE
M6R	Offset Aviation Snip	037103583376



- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Made in the USA

- Cuts straight lines and left arcs with red handles for quick identification

TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
235	32	Both	Serrated	18 Gauge Low Carbon Steel (1,22 mm)	0,396	6	Carded

CATALOG NO.	DESCRIPTION	BARCODE
M7R	Offset Aviation Snip	037103583383



- Cuts straight lines and right arcs with green handles for quick identification

TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
235	32	Both	Serrated	18 Gauge Low Carbon Steel (1,22 mm)	0,396	6	Carded

CATALOG NO.	DESCRIPTION	BARCODE
M8OSS	Offset Aviation Snip	037103324931



- Cuts straight lines and right and left arcs with yellow handles for quick identification
- Unique total system design requires 20% less force to cut
- Withstands strain of cutting heavy stock and tight curves

TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
249	75	Both	Serrated	18 Gauge Low Carbon Steel (1,22 mm)	0,453	6	Carded

M400 LONG CUT OFFSET AVIATION SNIPS

CATALOG NO.	DESCRIPTION	BARCODE
M400N	Long Cut Offset Aviation Snip	037103308535



18GA
STRAIGHT

- Cuts straight lines and right and left arcs
- Offset blades keep hands clear of metal while cutting
- Combines long cut of tinner's snips with the strength of compound action
- Blade serrations hold material firmly and spread cutting force uniformly across blade edge, improving cut quality and tool life
- Longer blade length reduces cutting frequency for faster work
- Cuts up to 20 gauge low carbon cold rolled steel, aluminum, and plastic
- Compound action design increases force for improved performance
- Handle latch keeps blades closed during storage or when not in use
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage

TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
308	75	Both	Serrated	20 Gauge Low Carbon Steel (0,89 mm)	0,476	3	Carded

MPC3 MULTIPURPOSE SNIPS

CATALOG NO.	DESCRIPTION	BARCODE
MPC3N	Multipurpose Snip	037103307927



18GA
STRAIGHT

- Cuts straight lines and right and left arcs
- Used for cutting light-gauge metals, screening, floor tiles, vinyl, plastic, leather, paper, rubber, hardware cloth, shingles, tile gutters, downspouts, carpeting, and more
- Blade serrations hold material firmly and spread cutting force uniformly across blade edge, improving cut quality and tool life
- Cuts up to 20 gauge low carbon steel
- Spring-action handle for a faster, effortless feed
- Handle latch keeps blades closed during storage or when not in use
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage

TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
229	35	Both	Serrated	20 Gauge Low Carbon Steel (0,89 mm)	0,336	6	Carded

MPX5 MULTI-PURPOSE CUTTER


CATALOG NO.	DESCRIPTION	BARCODE
MPX5	Multi-Purpose Cutter	037103274915



18GA
STRAIGHT

- Cuts straight lines and right and left arcs
- Blade design includes a twine cutter, wire cutter, bottle opener, and wire bending holes for added versatility
- 3 in blade for cutting sheet metal, plastics, vinyl, carpet, gutters, cardboard, paper, screen, wire mesh, hose, roof shingles, wallpaper, cloth, leather, and much more
- Blade serrations hold material firmly and spread cutting force uniformly across blade edge, improving cut quality and tool life
- Compound action design delivers 1.5x the cutting power of traditional design to save you effort
- Quick-release lock for easy one-handed operation
- Nickel chrome blades resist rust and corrosion
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage

TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	CUTTING CAPACITY	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
279	75	Both	Serrated	20 Gauge Low Carbon Steel (0,89 mm)	0,476	3	Carded



NOT JUST SCISSORS AND SHEARS...

Precision cutting tools made for pros.

The new and improved line of Crescent Wiss shears and scissors offers the performance, strength, and durability professional users need. Every scissor and shear has been upgraded with new features that deliver more comfort, superior results, and longer life. High-performance models feature titanium-coated blades for smooth, powerful cuts and several have a full metal core for maximum strength and durability.



HOME & CRAFT SCISSORS

- Precision ground blades feature premium grade stainless steel and are precision engineered for knife-like cutting edges
- Easy adjust pivot bolt allows quick and easy adjustment to fine tune cutting blade tension for optimal cutting performance
- Ambidextrous handle design features symmetrical handle ring contouring for comfortable right or left hand usage
- Stainless steel blades provide corrosion resistance and are harder than steel for durability and tool life
- Straight blades can be sharpened
- Hard plastic handles clean easily
- Lightweight



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
CW812S	8-1/2 in Home & Craft Scissors	037103333254	216	88	Both	Bottom Serrated	0,204	4	Carded

ALL PURPOSE SCISSORS

- Precision cut blades feature titanium coated premium grade steel and are precision engineered for knife-like cutting edges
- Offset handle design keeps hands above material for safety and easy table top cuts
- Touch point ergonomics optimize hand and finger contact points in handles to maximize fit, control, and user ergonomics
- Titanium coated blades provide corrosion resistance and are 3X harder than steel for durability and tool life
- Control channel accommodates index finger for increased control and cutting stability
- TPR comfort grip handles are strategically textured using soft-grip TPR to provide best-in-class user comfort and control
- Cuts paper, cardboard, heavy fabric, rope, leather, plastics, and more



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
CW10T	10 in Titanium Coated All-Purpose Scissors	037103333261	254	100	Right	Smooth	0,209	4	Carded
CW10TL	10 in Titanium Coated All-Purpose Scissors	037103333278	254	100	Left	Smooth	0,209	4	Carded

SHOP SHEARS FULLMETAL SCISSORS

- Heavy-duty blades feature premium grade stainless steel and are precision engineered for knife-like cutting edges
- Serrated bottom blade grips material as it is being cut for increased cutting control and cleaner cuts
- Titanium coated blades provide corrosion resistance and are 3X harder than steel for durability and tool life
- Control channel accommodates index finger for increased control and cutting stability
- Full metal core extends through the handle for maximum strength and increased durability
- Touch point ergonomics optimize hand and finger contact points in handles to maximize fit, control, and user ergonomics
- Cuts paper, cardboard, heavy fabric, rope, leather, plastics, and more



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
CW10TM	10 in Titanium Coated All-Purpose Scissors	037103333285	254	100	Right	Bottom Serrated	0,209	4	Carded

SHOP / KITCHEN SHEAR

- Heavy-duty blades feature titanium coated premium grade stainless steel and are precision engineered for knife-like cutting edges
- Spring-loaded design automatically opens when latch is disengaged for reduced hand fatigue
- Touch point ergonomics optimize hand and finger contact points in handles to maximize fit, control, and user ergonomics
- Full metal core extends through the handle for maximum strength and increased durability
- Serrated bottom blade grips material as it is being cut for increased cutting control and cleaner cuts
- Control channel accommodates index finger for increased control and cutting stability
- Quick release ergonomic latch provides consistent easy operation and secures the tool in the closed and locked position for safe storage



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
CW11TM	11 in Single Ring Shop Shear Full Metal Scissors	037103333292	279	100	Both	Bottom Serrated	0,259	4	Carded

UTILITY SHEAR

- Heavy-duty blades feature premium grade stainless steel and are precision engineered for knife-like cutting edges
- Compact 7.5 inch design allows for easy storage and provides excellent portability
- Titanium coated blades provide corrosion resistance and are 3X harder than steel for durability and tool life
- Quick release ergonomic latch provides consistent easy operation and secures the tool in the closed and locked position for safe storage
- TPR comfort grip handles with soft-grip texture provide best-in-class comfort and control
- Touch point ergonomics optimize hand and finger contact points in handles to maximize fit, control, and user ergonomics



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
CW7T	7 in Titanium Coated Utility Shear	037103333247	178	44	Both	Bottom Serrated	0,295	4	Carded

ELECTRICIAN SCISSORS

- Integrated wire strippers in scissor blade for quick and easy stripping of 19 and 23 AWG wires
- Serrated outside edges of blades for reaming knockouts and conduit
- Grip-Zone area for tightening wire nuts and crimping low voltage connections
- Precision ground blades feature durable serrations on the bottom blade that grip material for better control and cleaner cuts
- Integrated cable cutter provides added power and grip needed to make clean shear cuts through electrical cable
- Touch point ergonomics optimize hand and finger contact points in handles to maximize fit, control, and user ergonomics



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HAND- ED	CUTTER HEAD / BLADES	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
CW5T	5 in Electrician Data Scissors	037103333230	123	70	Both	Bottom Serrated	0,168	4	Carded

TAKE-APART UTILITY SCISSORS

- Strong, high quality stainless steel blades for corrosion resistance
- Take-apart blades for easy cleaning
- Hard handles are dishwasher safe
- Lightweight



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
W8TA	8 in Take Apart Utility Scissors	037103211293	203	100	Both	0,113	4	Carded

SHOP SHEARS

- Strong, high quality stainless steel blades for corrosion resistance
- Serrated lower blade for better grip on materials being cut
- Cutting notch on lower blade for rope and twine
- Hard plastic handles clean easily
- Lightweight



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
W912	10 in Shop Shears	037103211279	254	107	Both	0,147	4	Carded

2 PC. HOME, CRAFT, AND SEW SCISSOR SET

- Strong, stainless steel blades for corrosion resistance
- Sharp points cut cleanly through the tip
- Long-lasting precision ground straight edges can be sharpened
- Adjustable pivot screw for best feel
- Soft touch handles for added comfort
- Lightweight



Set consists of:
5 in Sewing Scissors with Soft Touch Handles
8-1/4 in Craft Scissors with Soft Touch Handles

CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
WHCS2	2 Pc. Home, Craft, Sew Scissor Set	037103211316	127 and 203	76 and 121	Both	0,201	4	Carded

EASY SNIP UTILITY SHEARS

- Strong, stainless steel blades for corrosion resistance
- Textured and molded handles for a secure, comfortable grip
- Spring assist action minimizes hand fatigue
- Wire cutting notch in the lower blade
- Thumb latch secures blades closed during storage
- Ideal for use in the shop, garden, and home



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	CUTTER HEAD / BLADES	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
WEZSNIPEU	Easy Snip Utility Shear	4003019299812	216	100	Both	Stainless Steel Blades	0,138	6	Carded

HEAVY DUTY INDUSTRIAL SHEARS

- Commonly used in cutting fabrics, upholstery, and composite materials
- Precision ground blades provide sharper cutting edges and a longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Handle rings designed to comfortably fit users' hands
- Configure the SET-EASY® pivot adjustment to match your preference



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	HANDLE STYLE	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
W20	10 in Industrial Shear, Bent Handle	037103240132	264	121	Both	Bent	0,399	6	Carded
W20LH	10 in Industrial Shear, Bent Handle, Left Hand	037103240187	264	125	Left	Bent	0,399	6	Carded
W22N	12 in Industrial Shear, Bent Handle	037103240200	318	150	Both	Bent	0,594	6	Carded

DOUBLE ROUNDED SHEARS

- Precision ground blades for sharper cutting edges and longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Blade tips rounded for extra protection
- Handle rings designed to comfortably fit users' hands



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
W20SP	10 - 3/8 in Double Rounded Shears	037103240156	264	125	Both	0,399	6	Carded

HIGH LEVERAGE INDUSTRIAL SHEARS

- Precision ground blades for sharper cutting edges and longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Blade tips rounded for extra protection
- Handle rings designed to comfortably fit users' hands
- Red cushion grip handles provide maximum comfort
- SET-EASY® pivot easily and securely adjusts to user preference



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
W1225HLSP	10 in High Leverage Industrial Shears	037103240170	264	125	Both	0,399	6	Carded

HEAVY DUTY CUSHION GRIP INDUSTRIAL SHEARS

- Commonly used in cutting fabrics, upholstery, and composite materials
- Precision ground blades provide sharper cutting edges and a longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Red dipped handle rings designed to comfortably fit users' hands
- Configure the SET-EASY® pivot adjustment to match your preference



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	HANDLE STYLE	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
W20P	10 in Industrial Shear, Bent Handle, Cushion Grip	037103240149	264	125	Both	Bent	0,399	6	Carded
W22P	12 in Industrial Shear, Bent Handle, Cushion Grip	037103240217	318	150	Both	Bent	0,544	6	Carded

UPHOLSTERY, CARPET, DRAPERY, AND FABRIC SHEARS

- Ideal for cutting upholstery, carpet, and drapery
- Precision ground blades for sharper cutting edges and longer blade life
- Hot drop-forged nickel-plated blades are strong and durable
- Thick heavy-duty blades for cutting multiple layers and tough materials
- Handle rings designed to comfortably fit users' hands
- SET-EASY® pivot easily and securely adjusts to user preference



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
W20W	10 in Industrial Shear, Bent Handle, Wide Blade	037103240194	264	125	Both	0,399	6	Carded
W22W	12 in Industrial Shear, Bent Handle, Wide Blade	037103240231	318	150	Both	0,635	6	Carded

POCKET SCISSORS

- Blades are a flat pattern with double blunt points
- Hot drop-forged nickel-plated blades and handles are strong and durable
- Ring handle
- Practical pocket size



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
166	6 - 1/4 in Pocket Scissors	037103580795	159	70	Both	0,091	6	Carded

INDUSTRIAL SHEARS

- Precision ground blades for sharper cutting edges and longer blade life
- Hot drop-forged nickel-plated blades and handles are strong and durable
- Handle rings designed to comfortably fit users' hands
- Enlarged lower ring for increased comfort
- SET-EASY® pivot easily and securely adjusts to user preference
- Practical pocket size



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	BLADE LENGTH MM	HANDED	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
10SN	8 - 1/2 in Industrial Shears	037103223371	206	70	Both	0,204	6	Carded

FOLDING POCKET KNIFE

- Titanium coated stainless steel blade for 3x longer life
- Dual thumb studs and thumb hole for quick, easy opening
- Liner lock secures blade open Blade features piercing tip with serrated and straight cutting edges for maximum cutting capabilities
- Slim, ergonomic handle designed for maximum comfort
- Reversible belt clip



CATALOG NO.	DESCRIPTION	BARCODE	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
WKFPNS1EU	Wiss Folding Pocket Knife	037103312891	0,155	6	Blister / Counter Pack

AUTO-RETRACTING SAFETY UTILITY KNIFE

- Unlike standard “self-retracting” utility knives, the Wiss Auto-Retracting Safety Knife retracts the blade automatically the moment it loses contact with the material being cut.
- Auto-retract mechanism cannot be overridden under normal use
- Blade retracts when cut is done, even if slider is in the forward position
- Helps reduce workplace injuries, lowering lost time and increasing productivity
- Quick blade change for easy and fast replacement
- Blade storage holds 2 additional blades
- Accepts all standard utility knife blades



CATALOG NO.	DESCRIPTION	BARCODE	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
WKA2EU	Auto-Retracting Safety Utility Knife	037103312907	0,217	6	Blister / Counter Pack

QUICK-CHANGE FOLDING UTILITY KNIFE

- Built-in blade storage
- Quick blade change for easy and fast replacement
- Compact, ergonomic design and locks in straight position
- Accepts all standard type utility knife blades
- Includes 11 black coated blades (1 loaded, 2 in on board storage, 8 in blade caddy)



CATALOG NO.	DESCRIPTION	BARCODE	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
WKF2EU	Quick Change Folding Utility Knife	037103312914	0,272	6	Blister / Counter Pack

RATCHET PIPE CUTTER

- Unique ratcheting design to cut pipes also in tight spaces
- For cutting pipes made of brass, copper, aluminium, pvc and other thin-walled conduit material from diameter 3 mm (1/8 in) up to 29 mm (1 1/8 in)
- Interior ratchet mechanism rotates 360° inside tool head
- Extra cutting wheel storage in handle (medium and large models only)



CATALOG NO.	DESCRIPTION	BARCODE	FOR PIPE DIAMETER MM	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
WRPCLGEU	Large Ratchet Pipe Cutter	4003019299720	7,9 - 28,6	0,338	3	Blister
WRPCMDEU	Medium Ratchet Pipe Cutter	4003019299690	6,4 - 25,4	0,326	3	Blister
WRPCSM EU	Small Ratchet Pipe Cutter	4003019299669	3,2 - 12,7	0,149	3	Blister

3-BLADE HAND CRIMPER

- Crimps male fitting end to connect guttering downspouts or metal pipe
- Optimal handle span for maximum power and comfortable operating range
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Handle latch keeps blades closed during storage or when not in use
- Compound action jaw provides excellent comfort and control



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	THROATH DEPTH MM	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
WC3SN	3-Blade Hand Crimper	037103308597	248	31	0,368	3	Carded

5-BLADE HAND CRIMPER

- Crimps heavier gauge pipe up to 22 gauge / 0.79 mm galvanized steel
- Crimps male fitting end to connect guttering, downspouts, or metal pipe
- Optimal handle span for maximum power and comfortable operating range
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Handle latch keeps blades closed during storage or when not in use
- Compound action jaw provides excellent comfort and control



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	THROATH DEPTH MM	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
WC5LN	5-Blade Hand Crimper	037103308566	254	41	0,454	3	Carded
WC5SN	5-Blade Hand Crimper	037103307897	248	31	0,635	3	Carded

OFFSET HAND SEAMER

- Used for bending and flattening sheet metal
- Ideal for working in confined areas
- Optimal handle span for maximum power and comfortable operating range
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Handle latch keeps blades closed during storage or when not in use
- 1/4 in depth markings
- Produces a permanent, tight-fitting seam



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	JAW WIDTH MM	JAW CAPACITY MM	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
WS4N	3 in Offset Hand Seamer	037103308559	229	83	6,3 - 31	0,635	3	Carded

HAND SEAMERS

- Used to bend and flatten sheet metal
- Optimal handle span for maximum power and comfortable operating range
- Non-slip cushion grips for superior comfort and control
- 1/4 in depth markings



CATALOG NO.	DESCRIPTION	BARCODE	TOOL LENGTH MM	JAW WIDTH MM	JAW CAPACITY MM	PRODUCT WEIGHT KG	SHELF PACK QTY.	PACKAGING
WS3N	3 in Hand Seamer	037103307880	235	83	6,3 - 31	0,608	3	Carded
WS6N	6 in Hand Seamer	037103308542	280	152	6,3 - 31	0,862	3	Carded





CRESCENT
Lufkin®



Measuring

Tapes • Wheels •
Long Tapes •
Squares & Rules •
Oil Gauging • Accessories

Highly accurate and reliable measuring tools

In 1869, Lufkin began manufacturing rules for the logging industry. Innovation became the focal point of its business. Today, Lufkin is a leader in producing premium quality measuring tools for tradespeople in numerous industries. The extensive Crescent Lufkin line of products includes power tapes, rules, long tapes, oil gauging tapes, measuring wheels, and one of the widest selections of special purpose tapes and rules available for commercial and industrial use.

SFN

FRONT / BACK



- Two sided
- Extra-large, contrasting green markings on black blade
- Contrasting colour blocks at each decimeter
- Both edges graduated to millimeters
- Numbered consecutive centimeters

SF1


FRONT / BACK




- Two sided
- Extra-large black and red markings
- Contrasting colour at each decimeter
- Both edges graduated to millimeters
- Numbered consecutive centimeters

SF2

FRONT / BACK



FRONT / BACK



- Yellow clad blade
- Two sided
- Extra-large black and red markings
- Metric bottom edge graduated to millimeters
- Numbered in centimeters
- With larger red numbers at each decimeter
- English top edge to 1/16ths
- Stud marks every 16 in (40 cm)
- Truss marks every 19.2 in
- Numbered in inch
- Instantaneous foot readings

UK1

FRONT



- Yellow clad blade
- Black and red markings
- One side only
- Both edges graduated to millimeters
- Numbered consecutive centimeters
- With larger red numbers at each decimeter

UK2

FRONT



FRONT



- Yellow clad blade
- Black and red markings
- One side only
- Metric bottom edge graduated to millimeters
- Numbered in centimeters
- With red numbers at each decimeter
- English top edge to 1/16ths
- Numbered in inch
- With red numbers at each foot

ED1

FRONT




BACK




- Yellow blade
- Two sided
- Front side and back side imperial
- Front side for standard measuring and for measuring circumferences of circular objects
- Graduated to 1/32ths
- Numbered in inch
- Back side to infer the diameter from the measured circumference
- Graduated to 1/100ths

ED2

FRONT



BACK



- Yellow blade
- Two sided
- Front side and back side metric
- Front side for standard measuring and for measuring circumferences of circular objects
- Graduated millimeters
- Numbered at each centimeter
- Numbered consecutive centimeters
- Back side to infer the diameter from the measured circumference
- Graduated millimeters
- Numbered at each centimeter
- Numbered consecutive centimeters

PW1

FRONT



- Yellow clad blade
- One side only
- 6 mm width only
- Black and red markings
- Graduated millimeters
- Numbered at each centimeter
- With larger red numbers at each decimeter

PW2


FRONT



- Yellow clad blade
- One side only
- 6 mm / 1/4 in width only
- Metric bottom edge graduated to millimeters
- Numbered in centimeters
- English top edge to to 1/16ths
- Numbered in inch

LT1

FRONT / BACK




FRONT / BACK



- Yellow clad blade
- Two sided
- Black and red markings
- Graduated millimeters
- Numbered at each centimeter
- Numbered consecutive centimeters until each meter
- With larger black numbers at each decimeter
- With larger red numbers at each meter
- Meter indication at each decimeter

LT2

FRONT



BACK



- Yellow clad blade
- Two sided
- Front side metric
- Graduated millimeters
- Numbered at each centimeter
- Numbered consecutive centimeters until each meter
- With larger black numbers at each decimeter
- With larger red numbers at each meter
- Meter indication at each decimeter
- Back side imperial
- Graduated to 1/8ths
- Numbered in inch
- With red numbers at each feet
- Feet indication every 4 inch

NFT

FRONT



BACK



- Two sided
- Yellow imperial front side
- Graduated to 1/8ths
- Numbered in inch
- With red numbers at each feet
- White metric back side
- Graduated millimeters
- Numbered at each centimeter
- Numbered consecutive centimeters until each meter
- Separators at each decimeter
- With larger red numbers at each meter
- Meter indication at each decimeter

FT1

FRONT



FRONT



- Yellow clad blade
- One side only
- Black and red markings
- Graduated millimeters
- Numbered at each centimeter
- Numbered consecutive centimeters until each meter
- With larger black numbers at each decimeter
- With larger red numbers at each meter
- Meter indication at each decimeter

FT2

FRONT



BACK



- Yellow clad blade
- Two sided
- Front side metric
- Graduated millimeters
- Numbered at each centimeter
- Numbered consecutive centimeters until each meter
- With larger black numbers at each decimeter
- With larger red numbers at each meter
- Meter indication at each decimeter
- Back side imperial
- Graduated to 1/8ths
- Numbered in inch
- With red numbers at each feet
- Feet indication every 4 inch

LFSSI

FRONT



- Yellow colour
- Two sided metric
- Top graduated half centimeters
- Bottom graduated millimeters
- Numbered at each centimeter in millimeters
- Numbered consecutively until each decimeter
- With larger red numbers every 100 millimeters (decimeter)

LFSME

FRONT



BACK



- Yellow colour
- Two sided
- Front side metric
- Top graduated half centimeters
- Bottom graduated millimeters
- Numbered at each centimeter in millimeters
- Numbered consecutively until each decimeter
- With larger red numbers every 100 millimeters (decimeter)
- Back side imperial
- Graduated to 1/16ths
- Numbered in inch
- Numbered consecutively

LFBSI

FRONT




- White colour
- Two sided metric
- Top graduated half centimeters
- Bottom graduated millimeters
- Numbered at each centimeter in millimeters
- Numbered consecutively until each decimeter
- With larger red numbers every 100 millimeters (decimeter)

SSR

FRONT



BACK



- Two sided
- Front side metric
- Top graduated millimeters
- Bottom graduated half millimeters
- Numbered at each centimeter in millimeters
- Numbered consecutively
- With larger red numbers every 100 millimeters (decimeter)
- Back side imperial
- Graduated to 1/10ths
- Numbered in inch
- With additional graduation to 1/16ths, 1/20ths, 1/32ths, 1/50ths and 1/61ths

A9 YELLOW CLAD



- Yellow clad blade
- Black and red markings one side only
- Both edges graduated to millimeters; numbered consecutive centimeters with larger red numbers at each decimeter

C1 YELLOW CLAD




- Yellow clad blade
- 1/2 in / 13 mm width
- Black and red markings
- Graduated feet and inches to 1/8ths; numbered with feet and instantaneous foot markings in red and inches in black

D1 CHROME CLAD® & NUBIAN®



- 1/2 in width only
- Markings one side only
- Graduated instantaneous feet and inches to 1/8ths

D4 CHROME CLAD® & STAINLESS STEEL



- 1/2 in width only
- Markings one side only
- Graduated feet and inches to 1/8ths
- Instantaneous foot readings

A29 YELLOW CLAD




- Yellow clad blade
- Black and red markings one side only
- Graduated feet and inches to 1/16ths, first 12 in to 1/32nds
- Instantaneous foot readings
- Stud marks every 16 in, Truss marks every 19.2 in

C6 WHITE CLAD



- White clad blade
- 1/2 in / 13 mm width
- Black and red markings
- Graduated millimeters, numbered at each centimeter with red
- Metric scale

D3 CHROME CLAD® & NUBIAN®




- 1/2 in / 13 mm width only
- Markings both sides
- Graduated in millimeters on one side
- Other side instantaneous feet and inches to 1/8ths

D5 NUBIAN®



- 1/2 in width only
- Nubian® blade
- Markings one side only
- Graduated feet and inches to 1/8ths
- Instantaneous foot readings

D6 CHROME CLAD®



- 1/2 in / 13 mm width
- Chrome Clad® blade
- Black and red markings on metric side
- Metric - graduated meters to millimeters; numbered right to left in meters and millimeters
- English side - graduated feet and inches to 1/8ths; numbered right to left

E1 CHROME CLAD® & YELLOW CLAD



CRESCENT LUFKIN SHOCKFORCE™ AND SHOCKFORCE NITE EYE™ MEASURING TAPES

Introducing the toughest tapes to ever hit a jobsite. Shockforce brings new meaning to the term high performance with a full 4,3 m / 14 feet* of standout and the ability to survive a 30 m / 100-foot drop. Add in a diamond coated 360-degree end hook that delivers 50% more gripping power, a two-sided blade with vertical markings on the back, and class-leading ergonomics and you have a tape that's destined to be the new standard for trade professionals.

But that's not all. There's also the Shockforce Nite Eye, with all the capabilities of the original Shockforce plus the Nite Eye high visibility green-on-matte black blade. Made for superior legibility in any light condition – from bright sun to dim interiors – Shockforce Nite Eye helps you measure even faster.

NYLON
5X
BLADE LIFE
COATING

Superior Impact Protection
Dual metal guardrails on both sides of the lock button provide superior protection

2-SIDED
BLADES

TETHER
READY

High Visibility No-Glare Blade
High-contrast green markings and matte finish provide improved legibility in all light conditions



Integrated Thru-Hole
Can be used as a tether loop attachment point when working at height or as a pivot for scribing arcs

Durable Nylon Blade Coating
Best-in-class blade protection, extending blade life 5X vs. standard uncoated blades



360-Degree End Hook
Diamond abrasive-coated, our end hook grips surfaces better to save time when measuring

SHOCKFORCE NITE EYE™ TAPE MEASURES

- Matte black nylon-coated blade provides extended product life and improved legibility in varied light conditions
- Diamond-coated end hook grabs material from every direction and prevents slippage
- Narrow blade technology offers reduced weight for carrying
- Optimized drum and spring design provides a compact case that fits comfortably in the palm of your hand
- Drop tested from 30 m / 100 feet for real life, on the job durability
- Dual-sided blade printed with vertical quick read scale on underside for overhead and hard-to-reach measurements
- Full 4,3 m / 14 feet of standout
- Steel tether point offers increased safety capability when working at height
- Tether point can also be used for scribing and drawing arcs during layout



TYPE / CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
	WIDTH	LENGTH				
L1116BCM	30 mm	5 m	422	SFN	Carded	4
L1125BCM	30 mm	8 m	549	SFN	Carded	4

SHOCKFORCE™ TAPE MEASURES

- Matte nylon-coated blade provides extended product life and glare reduction
- Diamond-coated end hook grabs material from every direction and prevents slippage
- Narrow blade technology offers reduced weight for carrying
- Optimized drum and spring design provides a compact case that fits comfortably in the palm of your hand
- Drop tested from 30 m / 100 feet for real life, on the job durability
- Dual-sided blade printed with vertical quick read scale on underside for overhead and hard-to-reach measurements
- Full 4,3 m / 14 feet of standout
- Steel tether point offers increased safety capability when working at height
- Tether point can also be used for scribing and drawing arcs during layout



TYPE / CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
	WIDTH	LENGTH				
L1116CM	30 mm	5 m	422	SF1	Carded	4
L1125CM	30 mm	8 m	549	SF1	Carded	4
L1116CME2	30 mm, 1-3/16 in	5 m, 16 ft	422	SF2	Carded	4
L1125CME2	30 mm, 1-3/16 in	8 m, 26 ft	549	SF2	Carded	4

ULTRALOK

- Chrome-plated lightweight high strength case
- Blade lock holds blade at any length
- Powered blade return
- Built-in shock absorber cushions blade return
- Removable belt clip



TYPE	CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.	REPLACEMENT BLADE TYPE	CODE NO.	SHELF PACK QTY.
		WIDTH	LENGTH							
Y23CM	T0060402304	13 mm	3 m	110	UK1	Carded	6	RY23CM	T0063802304	6
Y23CME	T0060402311	13 mm / 1/2 in	3 m / 10 ft	110	UK2	Carded	6			
Y25CM	T0060402504	13 mm	5 m	160	UK1	Carded	6	RY25CM	T0063802504	6
Y25CME	T0060402511	13 mm / 1/2 in	5 m / 16 ft	160	UK2	Carded	6			
Y35CM	T0060403504	19 mm	5 m	205	UK1	Carded	6	RY35CM	T0063803504	6
Y35CME	T0060403511	19 mm / 3/4 in	5 m / 16 ft	205	UK2	Carded	6			
Y38CM	T0060403804	19 mm	8 m	335	UK1	Carded	6	RY38CM	T0063803804	6
Y38CME	T0060403811	19 mm / 3/4 in	8 m / 26 ft	335	UK2	Carded	6			

UNILOK

- Black high strength case
- Blade lock holds blade at any length
- Powered blade return
- Built-in shock absorber cushions blade return
- Removable belt clip



TYPE	CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.	REPLACEMENT BLADE TYPE	CODE NO.	SHELF PACK QTY.
		WIDTH	LENGTH							
YU823CM	T0061082304	13 mm	3 m	110	UK1	Carded	6	RY23CM	T0063802304	6
YU823CME	T0061082311	13 mm / 1/2 in	3 m / 10 ft	110	UK2	Carded	6			
YU835CM	T0061083504	19 mm	5 m	202	UK1	Carded	6	RY35CM	T0063803504	6
YU835CME	T0061083511	19 mm / 3/4 in	5 m / 16 ft	202	UK2	Carded	6			
YU838CM	T0061083804	19 mm	8 m	323	UK1	Carded	6	RY38CM	T0063803804	6
YU838CME	T0061283811	19 mm / 3/4 in	8 m / 26 ft	323	UK2	Carded	6			

LEGACY SERIES

- Durable, Mirror-Finish Chrome Case
- Quad-Rivet End Hooks for Increased Durability (Not Available on 3 m Tape)
- Extra-Wide Lock Button for Easy Thumb Actuation
- Hi-Viz® Orange
- Matte Finish, Nylon Coated Blade



TYPE / CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
	WIDTH	LENGTH				
L912CM	19 mm	3 m	142	UK1	Carded	6
L916CM	25 mm	5 m	272	UK1	Carded	6
L925CM	25 mm	8 m	390	UK1	Carded	6

SERIES 500

- Good value at a low price
- Durable ABS case, contour shape fits comfortably in hand
- Hi-Viz® colour makes it easy to find
- Unique slide lock for easy control
- Triple-riveted (5 m and 8 m) respectively double-riveted (3 m)
- Reinforced end-hook
- Belt clip



TYPE / CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
	WIDTH	LENGTH				
L503CM	13 mm	3 m	107	UK1	Carded	6
L505CM	19 mm	5 m	209	UK1	Carded	6
L508CM	25 mm	8 m	403	UK1	Carded	6

EXECUTIVE® DIAMETER

- Designed for measuring diameters of pipe, cable, tire or any circular object
- Polished chrome case
- Zero falls in the same place on each side of the blade
- Model W606PD shows diameter inches to 100ths, W606PM to millimetres
- Yellow clad tape
- Easy-to-read bold graduations on yellow background
- Spring action returns blade to case



TYPE / CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
	WIDTH	LENGTH				
W606PD	1/4 in	6 ft	38	ED1	Boxed	6
W606PM	6 mm	2 m	38	ED2	Boxed	6

PEE WEE

- Pocket size ideal for office and home
- High strength case in black
- Power retraction operation
- Blade is not replaceable



TYPE	CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
		WIDTH	LENGTH				
Y612CM	T0061561254	6 mm	2 m	30	PW1	Boxed	25
Y613CM	T0061561354	6 mm	3 m	40	PW1	Boxed	25
Y613ME	-	6 mm / 1/4 in	3 m / 10 ft	50	PW2	Boxed	6

UNIVERSAL

- Small and compact
- Blade lock holds blade at any length
- Powered blade return
- High strength case
- With removable belt clip



TYPE	CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.	REPLACEMENT BLADE TYPE	CODE NO.	SHELF PACK QTY.
		WIDTH	LENGTH							
Y822CM	T0061182204	13 mm	2 m	66	UK1	Carded	6	RY22CM	T0063802204	6
Y822CME	T0061182211	13 mm / 1/2 in	2 m / 6 ft	66	UK2	Carded	6			
Y823CM	T0061182304	13 mm	3 m	92	UK1	Carded	6	RY23CM	T0063802304	6
Y823CME	T0061182311	13 mm / 1/2 in	3 m / 10 ft	92	UK2	Carded	6			

SERIES 500


- 3:1 gear ratio for fast winding
- Handle tucks away for convenient storage and transport
- Dual material case for added durability. Over mold surround allows for better grip with either hand
- Dual-sided printed blade with nylon coating for product longevity and versatility
- End hook clips into housing to prevent it from catching on items while in storage



TYPE / CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
	WIDTH	LENGTH				
ST10CM	9,6 mm	10 m	285	LT1	Carded	5
ST10CME	9,6 mm, 3/8 in	10 m, 33 ft	285	LT2	Carded	5
ST20CM	9,6 mm	20 m	400	LT1	Carded	5
ST20CME	9,6 mm, 3/8 in	20 m, 66 ft	400	LT2	Carded	5
ST30CM	9,6 mm	30 m	510	LT1	Carded	5
ST30CME	9,6 mm, 3/8 in	30 m, 100 ft	510	LT2	Carded	5

NEW FIBERGLASS TAPES

- 3:1 gear ratio for fast winding
- Handle tucks away for storage and transport
- Durable plastic ring surrounding tapeline and tubular frame sections for added strength. Prevents fiberglass tape from getting dented or twisted
- Large, combination end-hook for versatility and one person use
- Dual sided printed blade with SAE and Engineer scales
- 40+ strand fiberglass to reduce blade stretching which leads to inaccurate measurements



TYPE / CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
	WIDTH	LENGTH				
FE30CME	13 mm, 1/2 in	30 m, 100 ft	810	NFT	Carded	8
FE60CME	13 mm, 1/2 in	60 m, 200 ft	1360	NFT	Carded	4
FE90CME	13 mm, 1/2 in	90 m, 300 ft	1875	NFT	Carded	4

FRAME TAPES

- Unique pistol grip design
- Smooth wind-in mechanism
- Compact design fits into a tool chest
- Steel blade will not stretch



TYPE / CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
	WIDTH	LENGTH				
FT30CM	13 mm	30 m	648	FT1	Carded	6
FT50CM	13 mm	50 m	850	FT2	Carded	6
FT30CME	13 mm / 1/2 in	30 m / 100 ft	648	FT1	Carded	6
FT50CME	13 mm / 1/2 in	50 m / 150 ft	850	FT2	Carded	6

MEASURING WHEELS

- Measuring wheel, dual foldable, up to 9999,9 mm
- Wheel diameter 160 mm, calibrated to counter
- Wheel brake and counter reset in handle
- Compact, foldable design
- Rubber molded handle
- Carry bag included
- Centimeters and Meters



- Reset trigger in handle and counter
- Braking trigger in handle
- Patented hinge mechanism handle for storage, folded size 530 mm
- 5 digit counter measures 10.000 m without resetting, 10 cm steps
- Built in kickstand wheel
- Large 305 mm wheel diameter provides more accurate measurements particularly on uneven terrain
- Comfortable handling, total length: 980 mm
- Centimeters and Meters



Full-cushion tire for improved traction



CODE NO.	DESCRIPTION	PACKAGING	WEIGHT g	SHELF PACK QTY.
MW16MEU	Measuring Wheel, ø 160 mm, 6 1/8 in	Boxed	1100	4

CODE NO.	DESCRIPTION	PACKAGING	WEIGHT g	SHELF PACK QTY.
MW30MEU	Measuring Wheel, ø 305 mm / 12 in	Boxed	1720	4

FOLDING RULE SQUARE EDGE

- Made of Tough, Durable, Engineered Plastic
- Hard Wearing Measure with Easy-to-Read Markings
- Ideal for Tradesmen, DIY and Professional Users
- Yellow Square Edged Rule with Bold Black Markings



CODE NO.	LENGTH	COLOUR	WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
LFSSI	1 m	Yellow	118	LFSSI	Carded	6
LFSME	1 m / 39 in	Yellow	118	LFSME	Carded	6

FOLDING RULE BEVELLED EDGE

- Made of Tough, Durable, Engineered Plastic
- Hard Wearing Measure with Easy-to-Read Markings
- Ideal for Tradesmen, DIY and Professional Users
- White Bevelled Edge Rule with Black and Red Markings



CODE NO.	LENGTH	COLOUR	WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
LFBSI	1 m	White	130	LFBSI	Carded	6

STAINLESS STEEL RULE

- Rustless Steel, Deeply Etched for Easy Reading
- Upper Edge Subdivided mm and 1/2 mm
- Lower Edge Subdivided 1/8 in, 1/32 in and 1/64 in



CODE NO.	LENGTH	COLOUR	WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
LSR150	150 mm	Stainless Steel With Black Markings	20	SSR	Carded	25
LSR300	300 mm	Stainless Steel With Black Markings	50	SSR	Carded	10
LSR600	600 mm	Stainless Steel With Black Markings	140	SSR	Carded	10
LSR1000	1000 mm	Stainless Steel With Black Markings	450	SSR	Carded	10

PEERLESS

- Designed for engineers and surveyors who prefer a 4-arm reel
- Reel is nickel plated, 4-arm, with rollers in each arm for smooth winding
- Open design construction aids in drying line and clearing out dirt
- Long, easy-action winding handle locks line in any position
- Chrome Clad® and yellow clad blade
- Blade 1/4 in wide and 0.016 in thick
- Pair of 580 finger rings and a 579 engineer's conversion rule are furnished with tape or replacement line



TYPE / CODE NO.	ARMS	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
		WIDTH	LENGTH				
C1276N	4	1/4 in	100 ft	1089	E3	Carded	1
C1278N	4	1/4 in	200 ft	1678	E3	Carded	1
C1278DN	4	1/4 in	200 ft	1678	E1	Carded	1

DERRICK

- Extra large winding drum provides rapid line recovery
- Chrome Clad® blade
- Nominal blade thickness 0.019 in
- Special hook ring with ribbed face at zero
- Leather tether strap is provided to use through eye at base of handle



TYPE / CODE NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
	WIDTH	LENGTH				
C2276DN	1/4 in	100 ft	1315	E1	Carded	1
CD2750MMEN	6 mm, 1/4 in	50 m, 164 ft	1633	E13	Carded	1
CD27300MMN	6 mm, 1/4 in	30 m, 100 ft	1247	E12	Carded	1
C2276MEN	6 mm, 1/4 in	30 m, 100 ft	1361	E2	Carded	1

ATLAS® CHROME CLAD® / NUBIAN®
DOUBLE DUTY

- Heavy-duty frame designed for years of rugged use
- All frames include a grounding strap
- Nubian epoxy coating on a portion of the blade going the entire length of the blade
- For multiple purposes such as clear and darker oils
- Plumb bob must be ordered separately



TYPE / CODE NO.	BOB CUT	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
		WIDTH	LENGTH				
CN129012SF5N	590	1/2 in	18 ft	726	D1	Carded	1
CN1290SF590N	590	1/2 in	25 ft	726	D1	Carded	1
CN1291SF590N	590	1/2 in	33 ft	862	D1	Carded	1
CN1293SDF590N	590	1/2 in	50 ft	998	D2	Carded	1
CN1293SF5871N	587 1/2	1/2 in	50 ft	1043	D1	Carded	1
CN1293SF590N	590	1/2 in	50 ft	998	D1	Carded	1
CN1294SF5871N	587 1/2	1/2 in	66 ft	1225	D1	Carded	1
CN1294SF590N	590	1/2 in	66 ft	1179	D1	Carded	1
CN1296SF590N	590	1/2 in	100 ft	1615	D1	Carded	1
CN1290SMEN	590	13 mm, 1/2 in	8 m, 26 ft	816	D3	Carded	1
CN1293SMEF59N	590	13 mm, 1/2 in	15 m, 50 ft	1043	D3	Carded	1
CN1294SMEF59N	590	13 mm, 1/2 in	20 m, 66 ft	1179	D3	Carded	1
CN1295SME590N	590	13 mm, 1/2 in	23 m, 75 ft	1306	D3	Carded	1
CN1296SMEF59N	590	13 mm, 1/2 in	30 m, 100 ft	1805	D3	Carded	1
CN1298SME590N	590	13 mm, 1/2 in	38 m, 125 ft	1905	D3	Carded	1

ATLAS® CHROME CLAD®

- Heavy-duty frame designed for years of rugged use
- All frames include a grounding strap
- Blade counts graduated feet down to 1/8th inches, for instantaneous foot readings
- For every day oil gauging
- Plumb bob must be ordered separately



TYPE / CODE NO.	BOB CUT	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
		WIDTH	LENGTH				
C129012SFN	590	1/2 in	18 ft	726	D4	Carded	1
C1290SF590N	590	1/2 in	25 ft	816	D4	Carded	1
C1291SF590N	590	1/2 in	33 ft	862	D4	Carded	1
C1293SF590N	590	1/2 in	50 ft	1043	D4	Carded	1
C2910MME590N	590GM	13 mm, 1/2 in	10 m, 33 ft	885	D6	Carded	1
C2915MME590N	590GM	13 mm, 1/2 in	15 m, 50 ft	1066	D6	Carded	1
C2920MME150MN	150 mm	13 mm, 1/2 in	20 m, 66 ft	1134	D6	Carded	1
C2920MME590N	590GM	13 mm, 1/2 in	20 m, 66 ft	1225	D6	Carded	1
C2930MME590N	590GME	13 mm, 1/2 in	30 m, 100 ft	1792	D6	Carded	1

ATLAS® NUBIAN®

- Heavy-duty frame designed for years of rugged use
- All frames include a grounding strap
- Blade protected by flowed-on epoxy coating
- Ideal for gauging clear oils
- Plumb bob must be ordered separately



TYPE / CODE NO.	BOB CUT	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
		WIDTH	LENGTH				
1290SF590N	590	1/2 in	25 ft	771	D5	Carded	1
1293SF590N	590	1/2 in	50 ft	1043	D5	Carded	1
1293SM590N	590	13 mm, 1/2 in	15 m, 50 ft	862	D7	Carded	1

ATLAS® STAINLESS STEEL®

- Heavy-duty frame designed for years of rugged use
- All frames include a grounding strap
- Designed for use in highly corrosive solutions
- Stainless steel blade resists corrosion
- Plumb bob must be ordered separately
- Recommended plumb bob: S590N



TYPE / CODE NO.	BOB CUT	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
		WIDTH	LENGTH				
S1291F590N	590	1/2 in	33 ft	680	D4	Carded	1
S1293F590N	590	1/2 in	50 ft	907	D4	Carded	1

INAGE OIL GAUGING PLUMB BOBS

- For use in heavy oils
- Cylindrical shaped
- Applicable with the following products
 - Atlas® Chrome Clad® / Nubian®Double Duty
 - Atlas® Chrome Clad®
 - Atlas® Nubian®
 - Atlas® Stainless Steel®



TYPE / CODE NO.	DESCRIPTION	LENGTH	WEIGHT oz / g	SAE / METRIC	MEASURING RANGE	MATERIAL
590GN	Cylindrical, Reads Up	6.75 in / 171 mm	20 / 567	SAE	0 in - 6 in	Brass
590GMN	Cylindrical, Reads Up	6.75 in / 171 mm	20 / 567	Metric	0 mm - 150 mm	Brass
590GMEN	Cylindrical, Reads Up	6.75 in / 171 mm	20 / 567	SAE / Metric	0 in - 6 in / 0 mm - 150 mm	Brass

ATLAS® CHROME CLAD® / NUBIAN®
DOUBLE DUTY REPLACEMENT BLADES

- Atlas Chrome Clad® / Nubian® Double Duty replacement blade



TYPE / CODE NO.	FITS PRODUCT NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
		WIDTH	LENGTH				
OCN1290SF590N	CN1290SF590N	1/2 in	25 ft	272	D1	Carded	1
OCN1294SF590N	CN1294SF590N	1/2 in	66 ft	680	D1	Carded	1
OCN1293SMEF5N	CN1293SMEF59N	13 mm, 1/2 in	15 m, 50 ft	544	D3	Carded	1

ATLAS CHROME CLAD® REPLACEMENT BLADES


- Atlas Chrome Clad® replacement blade



TYPE / CODE NO.	FITS PRODUCT NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
		WIDTH	LENGTH				
OC1291SF590N	C1291SF590N	1/2 in	33 ft	363	D4	Carded	1

DERRICK REPLACEMENT BLADES

- Derrick replacement blade



TYPE / CODE NO.	FITS PRODUCT NO.	BLADE SIZE		WEIGHT g	BLADE STYLE	PACKAGING	SHELF PACK QTY.
		WIDTH	LENGTH				
OC2276DN	C2276DN	1/4 in	100 ft	726	E1	Carded	1
OC2276MEN	C2276MEN	6 mm, 1/4 in	30 m, 100 ft	318	E2	Carded	1

81 AND 91 SERIES CHROME CLAD® AND
GAUGING TAPE REPLACEMENT REEL

- For 3/8 in / 10 mm and 1/2 in / 13 mm widths - Chrome Clad® and gauging tapes
- Chrome 2 arm frame
- Not all replacement parts are sold separately



TYPE / CODE NO.	ARMS	BLADE SIZE		WEIGHT g	PACKAGING	SHELF PACK QTY.
		WIDTH	LENGTH			
9150LN	2	1/2 in	50 ft	544	Carded	1

The logo features a stylized orange 'C' with a crescent shape inside, followed by the words 'CRESCENT' and 'NICHOLSON' in a bold, orange, sans-serif font. A registered trademark symbol (®) is located at the end of 'NICHOLSON'.

**CRESCENT
NICHOLSON®**

Shaping


Files • Rasps •
Sets • Specialty Files

Tools with a heritage of quality since 1864

Crescent Nicholson® is a market leader for manual material removal products. As one of the world's first manufacturers of machine-made files, Nicholson is known for precision engineering and an uncompromising commitment to quality. The extensive Crescent Nicholson line of products includes files, rasps, and accessories.

FILE TERMINOLOGY


COARSENESS



Bastard Cut




Second Cut



Smooth Cut

- Work to be accomplished, whether roughing or finishing, will determine type of teeth and coarseness for each application
- Most American pattern files are available with 3 grades of cut: bastard-cut, second-cut and smooth-cut
- The degree of coarseness is greater in longer files, but differences between bastard, second and smooth are proportionate

LENGTH



- Length is measured exclusive of tang, from point to heel, unless specified otherwise
- Desired stroke length, type of material and size will determine length required

SHAPE



Flat



Three Square



Mill



Warding



Square



Hand



Knife



Round




Half Round

- Area to be filed will determine specific cross-section (round, square, flat, etc.) to be used.


KINDS OF TEETH

SINGLE CUT




- Single set of parallel, diagonal rows of teeth
- Single-cut files are often used with light pressure to produce a smooth surface finish or to put a keen edge on knives, shears or saws

MAGICUT®




- Single cut teeth divided by angular serrations into shorter cutting edges, which free themselves readily from chips and perform roughing and smoothing at the same time

DOUBLE CUT




- 2 sets of diagonal rows of teeth
- Second set of teeth cut in opposite diagonal direction and on top of the first set
- First set of teeth is known as the overcut, second is known as upcut
- Upcut is finer than overcut
- Double-cut file is used with heavier pressure than the single-cut and removes material faster from the workpiece

CURVED CUT



- Teeth arranged in curved contours across the file face
- Curved-cut file is normally used in automotive body shops for smoothing body panels

RASP CUT



- Series of individual teeth which are formed by a single-pointed tool
- Produces a rough cut that is used primarily on wood, hooves, aluminum and lead

SELECTION CHARTS

Find the right file or rasp for your job.
Simply find your requirements in the listing. The applicable files and rasps are listed accordingly.

MATERIAL	FILE
Aluminium alloy	Flat File, 2-in-1 Bastard and Smooth Cut File, Magicut Flat File or Milled Tooth Bodifile
Babbitt	Flat File, 2-in-1 Bastard and Smooth Cut File or Milled Tooth Bodifile
Brass	Flat File, 2-in-1 Bastard and Smooth Cut File or Magicut Flat File
Bronze	Flat File, 2-in-1 Bastard and Smooth Cut File, Magicut Flat File or Milled Tooth Bodifile
Carbon steel	Mill File
Cast iron	Flat File, 2-in-1 Bastard and Smooth Cut File, Milled Tooth Bodifile or any other file according to shape of material (e.g. Round, Half Round, Square or Three Square File)
Casting rough	Flat File or 2-in-1 Bastard and Smooth Cut File
Copper	Flat File, 2-in-1 Bastard and Smooth Cut File or Magicut Flat File
Fiber	Flat File, 2-in-1 Bastard and Smooth Cut File or Rasp
Hard rubber	Flat File or 2-in-1 Bastard and Smooth Cut File
Hot metal	Flat File or 2-in-1 Bastard and Smooth Cut File
Iron	Flat File, 2-in-1 Bastard and Smooth Cut File or any other file according to shape of material (e.g. Round, Half Round, Square or Three Square File)
Laminate	Mill File
Lead	Milled Tooth Bodifile
Plastics	Flat File, 2-in-1 Bastard and Smooth Cut File, Mill File or Milled Tooth Bodifile
Soft metal	Flat File or 2-in-1 Bastard and Smooth Cut File
Stainless steel	Flat File, 2-in-1 Bastard and Smooth Cut File or Milled File
Steel	Flat File or 2-in-1 Bastard and Smooth Cut File
Steel alloy	Flat File, 2-in-1 Bastard and Smooth Cut File or any other file according to shape of material (e.g. Round, Half Round, Square or Three Square File)
Wood	Cabinet Rasp, Pattern Maker's Cabinet Rasp or Wood Rasp
Lead	Milled Tooth Bodifile

USER	FILE
Blacksmith	Flat File, 2-in-1 Bastard and Smooth Cut File, Half-Round File or Rasp
Cabinetmaker	Pattern Maker's Cabinet Rasp or Cabinet Rasp
Diemaker	Knife File
Engine Builder	Flat File or 2-in-1 Bastard and Smooth Cut File
Gardener	Axe Sharpening File, Round Chain Saw File or Taper File
Hobbyist	Wood Rasp, Axe Sharpening File, 4-in-1 Hand Rasp, Flat File, 2-in-1 Bastard and Smooth Cut File, Hand File, Mill File or any other file according to shape of material (e.g. Round, Half Round, Square or Three Square File)
Locksmith	Warding File
Lumberkack	Axe Sharpening File, Round Chain Saw File or Taper File
Machinist	Flat File, 2-in-1 Bastard and Smooth Cut File, Magicut Flat File, Half-Round File, Square File, Three Square File, Round File, Mill File or Taper File
Machinery Builder	Flat File, 2-in-1 Bastard and Smooth Cut File, Half-Round File, Square File, Round File, Mill File or Taper File
Millwright	Flat File, 2-in-1 Bastard and Smooth Cut File, Half-Round File, Square File, Round File or Mill File
Plumber	Half-Round File or Wood Rasp
Repairman	Flat File or 2-in-1 Bastard and Smooth Cut File
Ship Builder	Flat File or 2-in-1 Bastard and Smooth Cut File
Tool Maker	Knife File
Trade Worker	Knife File
Wood Maker	Axe Sharpening File, Round Chain Saw File or Taper File
Woodworking Trade Professional	Pattern Maker's Cabinet Rasp, Cabinet Rasp or Wood Rasp

SHAPE	FILE
Acute angle	Knife File
Bevel surface	Flat File or Mill File
Circular opening	Round File
Concave surface	Half Round File or Round File
Convex surface	Half Round File
Flat surface	Flat File, 2-in-1 Bastard and Smooth Cut File, Magicut Flat File, Hand File, Half Round File or Mill File
Hole	Round File or Square File
Interior angle	Knife File, Taper File or Three Square File
Keyway	Square File
Locksmith	Warding File
Notched surface	Taper File or Knife File
Slot	Knife File, Taper File, Warding File or Square File
V-groove surface	Knife File or Taper File

JOB / APPLICATION	FILE
Auto Body	Milled Tooth Bodifile
Axe	Axe Sharpening File
Bearing (brass)	Magicut Flat File or 2-in-1 Bastard and Smooth Cut File
Bearing (bronze)	Flat File, 2-in-1 Bastard and Smooth Cut File or Magicut Flat File
Beveling	Flat File or Mill File
Bolt threads	Taper File, Knife File or Mill File
Cabine (wood)	Cabinet Rasp
Contact points	Mill File
De-scaling	Flat File or 2-in-1 Bastard and Smooth Cut File
Die block	Flat File or 2-in-1 Bastard and Smooth Cut File
Die casting	Flat File, 2-in-1 Bastard and Smooth Cut File or any other file according to shape of material (e.g. Round, Half Round, Square or Three Square File)
Die forging	Flat File, 2-in-1 Bastard and Smooth Cut File or Half-Round File (according to shape of material)
Electric connections (cleaning)	Mill File
Fender (auto)	Milled Tooth Bodifile
Finishing	Mill File or 2-in-1 Bastard and Smooth Cut File
Foundry casting	Flat File, 2-in-1 Bastard and Smooth Cut File
Furniture (making)	Cabinet Rasp, Pattern Maker's Cabinet Rasp or Wood Rasp
Garden Tools	Axe Sharpening File
Grooving	Square File, Round File, Half-Round File or Slim Taper File
Horse-shoeing	Horse Rasp, Magicut Plater's Special Horse Rasp or Horse Rasp with Plain 1/2 File
Joint, mortise and tenon	Flat File, 2-in-1 Bastard and Smooth Cut File, Half- Round File, Square File or Round File (according to shape of material)
Key way	Square File, Round File, Half-Round File or Slim Taper File
Keys (filing)	Warding File
Knife	Mill File
Lathe-turned section	Mill File
Lawn mower	Mill File
Lock (mending)	Warding File
Molded part	Flat File, 2-in-1 Bastard and Smooth Cut File or Mill File
Ornaments, Wood making	Round File, Mill File, Taper File Cabinet Rasp, Pattern Maker's Cabinet Rasp or Wood Rasp
Pattern making (wood)	Cabinet Rasp, Pattern Maker's Cabinet Rasp, Wood Rasp, Round File, Mill File or Taper File
Pipe fitting	Half-Round File
Planer knife carbon steel	Mill File
Rotary mower blade	Flat File or 2-in-1 Bastard and Smooth Cut File
Rough filing	Magicut Flat File or any Bastard File according to shape of material (e.g. Round, Half Round, Square or Three Square File)
Saws	Taper Files, Round Chain Saw File or Mill Files
Smoothing a plane	Hand File, 2-in-1 Bastard and Smooth Cut File, Hand File or Mill File
Snagging	Flat File or 2-in-1 Bastard and Smooth Cut File
Switch contacts	Mill File
Switch (electric)	Mill File
Template	Flat File, 2-in-1 Bastard and Smooth Cut File, Half-Round File, Mill File or Round File
Trade work	Knife File
Widening holes	Hand File

3 PC. 6 IN ERGONOMIC FILE SET

CATALOG NO.	INCLUDED STORAGE
22015HNNN	Pouch



- Set includes half round bastard, mill bastard, round bastard files
- Rubber-coated ergonomic handles for better comfort and control
- Bastard coarseness grade for a rough finish
- Basic selection for home and professional use
- Includes pouch for storage and organization



CATALOG NO.	DESCRIPTION	FILE LENGTH	HANDLED
-	6 in Half Round Bastard Cut File with Ergonomic Handle	6 in / 150 mm	Yes (Ergonomic)
-	6 in Round Bastard Cut with Ergonomic Handle	6 in / 150 mm	Yes (Ergonomic)
21687HNN	6 in Mill Bastard Cut File with Ergonomic Handle	6 in / 150 mm	Yes (Ergonomic)

5 PC. GENERAL PURPOSE SET

CATALOG NO.	INCLUDED STORAGE
22040HNNN	Pouch



- Set includes 10 in half round bastard, 8 in mill bastard, 8 in flat, 10 in mill bastard, 6 in slim taper files
- General-purpose files for a range of home and professional uses
- Bastard-cut files are perfect for rough work and aggressive material removal
- Slim taper files are excellent for precision work
- Rubber-coated ergonomic handles for better comfort and control
- Includes pouch for storage and organization



CATALOG NO.	DESCRIPTION	FILE LENGTH	HANDLED
04995BC	10 in Half Round Bastard Cut File with Ergonomic Handle	10 in / 250 mm	Yes (Ergonomic)
-	8 in Mill Bastard Cut File with Ergonomic Handle	8 in / 200 mm	Yes (Ergonomic)
-	10 in Mill Bastard Cut File with Ergonomic Handle	10 in / 250 mm	Yes (Ergonomic)
-	6 in Slim Taper File with Ergonomic Handle	6 in / 150 mm	Yes (Ergonomic)
-	8 in Flat Bastard Cut File with Ergonomic Handle	8 in / 200 mm	Yes (Ergonomic)

9 PC. ERGONOMIC FILE SET

CATALOG NO.	INCLUDED STORAGE
22030HNNN	Pouch



- Set includes must-have files, which cover a wide range of usage scenarios
- Includes four 10 in bastard cut files
- Two 6 in tapered files
- Two 8 in bastard cut files
- One 12 in mill bastard cut file
- Rubber-coated ergonomic handles for better comfort and control
- Includes pouch for storage and organization



CATALOG NO.	DESCRIPTION	FILE LENGTH	HANDLED
21701HNN	10 in Mill Bastard Cut File with Ergonomic Handle	10 in / 250 mm	Yes (Ergonomic)
21842HNN	12 in Mill Bastard Cut File with Ergonomic Handle	12 in / 300 mm	Yes (Ergonomic)
-	8 in Half Round Bastard Cut File with Ergonomic Handle	8 in / 200 mm	Yes (Ergonomic)
-	10 in Half Round Bastard Cut File with Ergonomic Handle	10 in / 250 mm	Yes (Ergonomic)
21748HNN	8 in Flat Bastard Cut File with Ergonomic Handle	8 in / 200 mm	Yes (Ergonomic)
21868HNN	10 in Flat Bastard Cut File with Ergonomic Handle	10 in / 250 mm	Yes (Ergonomic)
21729HNN	6 in Slim Taper File with Ergonomic Handle	6 in / 150 mm	Yes (Ergonomic)
-	6 in Double Extra Slim Taper File with Ergonomic Handle	6 in / 150 mm	Yes (Ergonomic)
-	10 in Round Bastard Cut File with Ergonomic Handle	10 in / 250 mm	Yes (Ergonomic)

8 PC. MACHINIST FILE SET

CATALOG NO.	INCLUDED STORAGE
22025NNN	Pouch



- File shapes and coarseness grades offer a range of shop uses for added versatility
- Complete set conveniently fits into rugged compact pouch for easy transport and storage
- Bastard-cut files are perfect for rough work and aggressive material removal
- Must-have file set for every machinist
- Includes pouch for storage and organization





CATALOG NO.	DESCRIPTION	FILE LENGTH	HANDLED
21868NN	10 in Flat Bastard Cut File	10 in / 250 mm	Yes (Ergonomic)
03732NN	10 in Flat Smooth Cut File	10 in / 250 mm	Yes (Ergonomic)
21858N	10 in Half Round Bastard Cut File	10 in / 250 mm	Yes (Ergonomic)
21839NN	10 in Mill Bastard Cut File	10 in / 250 mm	Yes (Ergonomic)
21854	10 in Round Bastard Cut File	10 in / 250 mm	Yes (Ergonomic)
T21455	8 in Flie Cleaner	8 in / 200 mm	Yes (Wooden)
14255MN	7 in Slim Taper File	7 in / 150 mm	Yes (Ergonomic)
T13196	10 in Square Bastard Cut File	10 in / 250 mm	Yes (Ergonomic)

FIT AND FINISH IN A SINGLE TOOL

These American pattern flat files have a bastard cut on one side for aggressive material removal and a smooth cut on the other for more precise finishing. Rough fitting and fine finishing capabilities are combined in a single file to help get jobs done faster.

SPECIAL TOOTH CONSTRUCTION

Tapers slightly toward the point to reduce clogging



**BLACK
DIAMOND**

DOUBLE CUT ON SIDES

For faster material removal

SINGLE CUT ON EDGES

Provides additional versatility

CONSISTENTLY PRECISE CUT

Provides maximum material removal per stroke and longer product life

2-IN-1 BASTARD AND SMOOTH CUT FILES

- American pattern flat file with bastard cut on one side and smooth cut on the other, providing aggressive material removal and precise finishing capability in one file
- Rectangular in cross section and tapers slightly towards the point
- Double cut on sides and single cut on edges
- Precision engineered to provide maximum material removal per stroke and long product life
- Special tooth construction reduces clogging



CATALOG NO.	FILE LENGTH	HANDLED	PACKAGING	SHELF PACK QTY.
21908N	8 in / 200 mm	No	Carded	6
21910N	10 in / 250 mm	No	Carded	6

FLAT FILES

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Ideal for machinists, machinery builders, ship and engine builders
- Can be used effectively by repairmen and others who require rapid removal of metal
- Rectangular cross section allows you to smooth and sharpen straight surfaces, while slight taper in width towards the file's point creates ease of access in slots
- Double-cut on the sides for rough filing and single-cut on the edges for a smooth finish



	4 IN / 100 MM	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM	12 IN / 300 MM	14 IN / 350 MM
BASTARD CUT	03367NN	03467NN	03566NN	03665NN	03764NN	03863NN
SECOND CUT		03500NN	03599NN	03698NN	03797NN	
SMOOTH CUT	03434NN	03533NN	03632NN	03731NN	03830NN	03929NN

HANDLED:

	8 IN / 200 MM	10 IN / 250 MM
BASTARD CUT	21748HNN	21868HNN

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
03367NN	4 in / 100 mm	Bastard	No	Boxed	12
03434NN	4 in / 100 mm	Smooth	No	Boxed	12
03467NN	6 in / 150 mm	Bastard	No	Boxed	12
03500NN	6 in / 150 mm	Second	No	Boxed	12
03533NN	6 in / 150 mm	Smooth	No	Boxed	12
03566NN	8 in / 200 mm	Bastard	No	Boxed	12
03599NN	8 in / 200 mm	Second	No	Boxed	12
03632NN	8 in / 200 mm	Smooth	No	Boxed	12
03665NN	10 in / 250 mm	Bastard	No	Boxed	6
03698NN	10 in / 250 mm	Second	No	Boxed	6
03731NN	10 in / 250 mm	Smooth	No	Boxed	6
03764NN	12 in / 300 mm	Bastard	No	Boxed	6
03797NN	12 in / 300 mm	Second	No	Boxed	6
03830NN	12 in / 300 mm	Smooth	No	Boxed	6
03863NN	14 in / 350 mm	Bastard	No	Boxed	6
03929NN	14 in / 350 mm	Smooth	No	Boxed	6
21748HNN	8 in / 200 mm	Bastard	Yes	Carded	6
21868HNN	10 in / 250 mm	Bastard	Yes	Carded	3

HALF ROUND FILES

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Perfect for use on concave, convex, and flat surfaces
- Two-sided file is rounded on 1 side and flat on the other, so you can round out holes with ease
- Rounded sides of pipeliner files are single-cut, allowing you to quickly remove material from the work piece
- This pipeliner file from Crescent Nicholson features single-cut sides



	4 IN / 100 MM	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM	12 IN / 300 MM	14 IN / 350 MM	16 IN / 400 MM
BASTARD CUT	04695N	04795N	04896N	04995N	05094N	05194N 05190N*	05307N
SECOND CUT	04729N	04828N	04927N	05026N	05125N	05225N	
SMOOTH CUT	04762N	04861N	04960N	05059N	05158N	05258N	

HANDLED:

	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM
BASTARD CUT	04795BC	04896BC	04995BC
SECOND CUT		04927BC	
SMOOTH CUT	04861BC	04960BC	05059BC

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
04695N	4 in / 100 mm	Bastard	No	Boxed	12
04729N	4 in / 100 mm	Second	No	Boxed	12
04762N	4 in / 100 mm	Smooth	No	Boxed	12
04795N	6 in / 150 mm	Bastard	No	Boxed	12
04828N	6 in / 150 mm	Second	No	Boxed	12
04861N	6 in / 150 mm	Smooth	No	Boxed	12
04896N	8 in / 200 mm	Bastard	No	Boxed	12
04927N	8 in / 200 mm	Second	No	Boxed	12
04960N	8 in / 200 mm	Smooth	No	Boxed	12
04995N	10 in / 250 mm	Bastard	No	Boxed	6
05026N	10 in / 250 mm	Second	No	Boxed	6
05059N	10 in / 250 mm	Smooth	No	Boxed	6
05094N	12 in / 300 mm	Bastard	No	Boxed	6
05125N	12 in / 300 mm	Second	No	Boxed	6
05158N	12 in / 300 mm	Smooth	No	Boxed	6
05190N	14 in / 350 mm	Bastard	No	Boxed	6
05194N	14 in / 350 mm	Bastard	No	Boxed	6
05225N	14 in / 350 mm	Second	No	Boxed	6
05258N	14 in / 350 mm	Smooth	No	Boxed	6
05307N	16 in / 400 mm	Bastard	No	Boxed	6
04795BC	6 in / 150 mm	Bastard	Yes	Flow Pack	12
04861BC	6 in / 150 mm	Smooth	Yes	Flow Pack	12
04896BC	8 in / 200 mm	Bastard	Yes	Flow Pack	12
04927BC	8 in / 200 mm	Second	Yes	Flow Pack	12
04960BC	8 in / 200 mm	Smooth	Yes	Flow Pack	12
04995BC	10 in / 250 mm	Bastard	Yes	Flow Pack	12
05059BC	10 in / 250 mm	Smooth	Yes	Flow Pack	12

HAND FILES

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Rectangular shape for efficient filing across a large surface
- Double-cut abrasive surfaces perfect for widening holes or smoothing a plane
- One safe edge to protect finished surfaces or your hands during use
- Coarseness matches flat files of the same length



	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM	12 IN / 300 MM
BASTARD CUT	05738N	05853N	05968N	06084N
SECOND CUT	05771N	05886N	06001NN	0617N
SMOOTH CUT	05804N	05919N	06034N	06150N

HANDLED:

	8 IN / 200 MM	10 IN / 250 MM
BASTARD CUT	05953BC	05968BC
SECOND CUT		06001BC

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
05738N	6 in / 150 mm	Bastard	No	Boxed	12
05771N	6 in / 150 mm	Second	No	Boxed	12
05804N	6 in / 150 mm	Smooth	No	Boxed	12
05853N	8 in / 200 mm	Bastard	No	Boxed	12
05886N	8 in / 200 mm	Second	No	Boxed	12
05919N	8 in / 200 mm	Smooth	No	Boxed	12
05968N	10 in / 250 mm	Bastard	No	Boxed	6
06001NN	10 in / 250 mm	Second	No	Boxed	6
06034N	10 in / 250 mm	Smooth	No	Boxed	6
06084N	12 in / 300 mm	Bastard	No	Boxed	6
0617N	12 in / 300 mm	Second	No	Boxed	6
06150N	12 in / 300 mm	Smooth	No	Boxed	6
05853BC	8 in / 200 mm	Bastard	Yes	Flow Pack	12
05968BC	10 in / 250 mm	Bastard	Yes	Flow Pack	12
06001BC	10 in / 250 mm	Second	Yes	Flow Pack	12

* Single Cut instead of Double Cut

KNIFE FILES

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Used primarily by tool and diemakers who need to file acute angles
- Triangular shape is perfect for trade work and filing interior angles
- Double-cut on sides for faster material removal; single-cut on the sharp edge
- All Crescent Nicholson knife-shape files are supplied with safe backs



	4 IN / 100 MM	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM	12 IN / 300 MM
BASTARD CUT	06711N	06804N	06898N	06992N	07058N
SECOND CUT		06836N	06930N		
SMOOTH CUT	06773N	06867N	06961N	07054N	

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
06711N	4 in / 100 mm	Bastard	No	Boxed	12
06773N	4 in / 100 mm	Smooth	No	Boxed	12
06804N	6 in / 150 mm	Bastard	No	Boxed	12
06836N	6 in / 150 mm	Second	No	Boxed	12
06867N	6 in / 150 mm	Smooth	No	Boxed	12
06898N	8 in / 200 mm	Bastard	No	Boxed	12
06930N	8 in / 200 mm	Second	No	Boxed	12
06961N	8 in / 200 mm	Smooth	No	Boxed	12
06992N	10 in / 250 mm	Bastard	No	Boxed	6
07054N	10 in / 250 mm	Smooth	No	Boxed	12
07085N	12 in / 300 mm	Bastard	No	Boxed	6

MAGICUT® FLAT FILES

- American pattern flat Magicut® file
- All-purpose file is ideal for machinists and removes stock rapidly for a fast and efficient application
- Rectangular shape allows you to smooth and sharpen straight surfaces
- Narrow chip breaker pattern created by steep, angled serrations helps quickly remove material and provides a smoother finish
- Slight taper in width towards the file's point creates ease of access in slots



CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	SHELF PACK QTY.
07894NN	8 in / 200 mm	Single Cut	No	12
07917NN	10 in / 250 mm	Single Cut	No	6
07941NN	12 in / 300 mm	Single Cut	No	6

MILL FILES

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Sharpens mill or circular saws
- Great for draw filing and finishing metals
- Rectangular shape lets you smooth and sharpen straight surfaces
- Single-cut texture on the sides and edges for applying a smooth finish
- Two square edges allow you to make grooves fixed at the same width as the file
- All sizes taper slightly in width to improve access in slots



	4 IN / 100 MM	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM	12 IN / 300 MM	14 IN / 300 MM
BASTARD CUT	08243NN	08354NN	08497NN	084642NN	08737NN	08832NN
SECOND CUT		08385NN	08529NN	08673NN	08768NN	
SMOOTH CUT	08306NN	08416NN	08560NN	08704NN	08799NN	08894NN

HANDLED:

	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM
BASTARD CUT	21687NN	21694NN	21701NN

ERGONOMIC HANDLED:

	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM	12 IN / 300 MM
BASTARD CUT	21687HNN	21694HNN	21701HNN	21842HNN

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
08243NN	4 in / 100 mm	Bastard	No	Boxed	12
08306NN	4 in / 100 mm	Smooth	No	Boxed	12
08354NN	6 in / 150 mm	Bastard	No	Boxed	12
08385NN	6 in / 150 mm	Second	No	Boxed	12
08416NN	6 in / 150 mm	Smooth	No	Boxed	12
08497NN	8 in / 200 mm	Bastard	No	Boxed	12
08529NN	8 in / 200 mm	Second	No	Boxed	12
08560NN	8 in / 200 mm	Smooth	No	Boxed	12
08642NN	10 in / 250 mm	Bastard	No	Boxed	6
08673NN	10 in / 250 mm	Second	No	Boxed	12
08704NN	10 in / 250 mm	Smooth	No	Boxed	12
08737NN	12 in / 300 mm	Bastard	No	Boxed	6
08768NN	12 in / 300 mm	Second	No	Boxed	6
08799NN	12 in / 300 mm	Smooth	No	Boxed	6
08832NN	14 in / 350 mm	Bastard	No	Boxed	6
08894NN	14 in / 350 mm	Smooth	No	Boxed	6
21687NN	6 in / 150 mm	Bastard	Yes	Carded	6
21694NN	8 in / 200 mm	Bastard	Yes	Carded	6
21701NN	10 in / 250 mm	Bastard	Yes	Carded	6
21687HNN	6 in / 150 mm	Bastard	Yes (Ergonomic)	Carded	6
21694HNN	8 in / 200 mm	Bastard	Yes (Ergonomic)	Carded	6
21701HNN	10 in / 250 mm	Bastard	Yes (Ergonomic)	Carded	6
21842HNN	12 in / 300 mm	Bastard	Yes (Ergonomic)	Carded	6

AXE SHARPENING FILES

- American pattern axe sharpening file
- Ideal file for sharpening axes and miscellaneous garden tools
- Rectangular shape has a large surface area for faster filing work
- Double-cut on one side for rough filing and single-cut on the opposite for finishing
- This file has two safe edges to work easily in restricted confines without damage



CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
06706NN	8 in / 200 mm	Double / Single	No	Carded	6
06704NN	8 in / 200 mm	Double / Single	No	Boxed	12

SQUARE FILES

- Used on slots, keyways and general surface filing
- Double cut for faster material removal
- Tapered slightly towards point
- Larger sizes frequently preferred to corresponding flat files due to a heavier section and four filing surfaces



	4 IN / 100 MM	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM	12 IN / 300 MM
BASTARD CUT	12790	12967	13081	T13196	13310
SMOOTH CUT	12857	13033	13147	13262	13376

HANDLED:

	8 IN / 200 MM	10 IN / 250 MM
BASTARD CUT	13081BC	13196BC

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
12790	4 in / 100 mm	Bastard	No	Boxed	12
12857	4 in / 100 mm	Smooth	No	Boxed	12
12967	6 in / 150 mm	Bastard	No	Boxed	12
13033	6 in / 150 mm	Smooth	No	Boxed	12
13081	8 in / 200 mm	Bastard	No	Boxed	12
13147	8 in / 200 mm	Smooth	No	Boxed	12
T13196	10 in / 250 mm	Bastard	No	Boxed	12
13262	10 in / 250 mm	Smooth	No	Boxed	12
13310	12 in / 300 mm	Bastard	No	Boxed	6
13376	12 in / 300 mm	Smooth	No	Boxed	6
13081BC	8 in / 200 mm	Bastard	Yes	Flow Pack	12
13196BC	10 in / 250 mm	Bastard	Yes	Flow Pack	12

ROUND FILES

- American pattern files available in bastard, second, and smooth cut in a variety of the most common lengths
- Can be used to file circular openings or concave surfaces
- Single cut construction provides light removal of material and slightly smoother edges
- Slight taper in width towards the file's point creates ease of access in slots
- Round file can work in areas that a rectangular file cannot
- Safe point on round files helps reduce the risk of injury



	4 IN / 100 MM	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM	12 IN / 300 MM	14 IN / 300 MM
BASTARD CUT	11526NN	11716	11904	12019	12134	12248
SECOND CUT		11748NN	11936	12051	12166	
SMOOTH CUT	11592NNN	11781	11969	12084	12199	

HANDLED:

	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM
BASTARD CUT		119048C	120198C
SECOND CUT		119368C	120518C
SMOOTH CUT	129678C	119698C	120848C

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
11526NN	4 in / 100 mm	Bastard	No	Boxed	12
11592NNN	4 in / 100 mm	Smooth	No	Boxed	12
11716	6 in / 150 mm	Bastard	No	Boxed	12
11748NN	6 in / 150 mm	Second	No	Boxed	12
11781	6 in / 150 mm	Smooth	No	Boxed	12
11904	8 in / 200 mm	Bastard	No	Boxed	12
11936	8 in / 200 mm	Second	No	Boxed	12
11969	8 in / 200 mm	Smooth	No	Boxed	12
12019	10 in / 250 mm	Bastard	No	Boxed	12
12051	10 in / 250 mm	Second	No	Boxed	12
12084	10 in / 250 mm	Smooth	No	Boxed	12
12134	12 in / 300 mm	Bastard	No	Boxed	6
12166	12 in / 300 mm	Second	No	Boxed	6
12199	12 in / 300 mm	Smooth	No	Boxed	6
12248	14 in / 350 mm	Bastard	No	Boxed	6
129678C	6 in / 150 mm	Smooth	Yes	Flow Pack	12
119048C	8 in / 200 mm	Bastard	Yes	Flow Pack	12
119368C	8 in / 200 mm	Second	Yes	Flow Pack	12
119698C	8 in / 200 mm	Smooth	Yes	Flow Pack	12
120198C	10 in / 250 mm	Bastard	Yes	Flow Pack	12
120518C	10 in / 250 mm	Second	Yes	Flow Pack	12
120848C	10 in / 250 mm	Smooth	Yes	Flow Pack	12

ROUND CHAIN SAW FILES

- American pattern file with knurl cut
- Tighten tension on chain to firmly support cutters when filing
- Place file against beveled cutting surface of teeth 20° to 45° with saw
- File from inside to outside of cutter
- Sharpen all left-hand cutters on one side of chain and move to the other side and file all the right-hand cutters
- Check depth gauge height every 2 or 3 sharpenings
- Height between cutting teeth and depth gauge is between .020 in to .030 in
- Follow the manufacturer's specifications for safe usage



	6 IN / 150 MM	8 IN / 200 MM
1/8 IN	0214NN	
9/64 IN	01606N	
5/32 IN	01611N	02228B
3/16 IN		02229B
13/64 IN		01798N
7/32 IN		02230B
1/4 IN		02147N



CATALOG NO.	FILE LENGTH	DIAMETER	HANDLED	PACKAGING	SHELF PACK QTY.
02144N	6 in / 150 mm	1/8 in / 320 mm	No	Boxed	6
01606N	6 in / 150 mm	9/64 in / 360 mm	No	Boxed	6
01611N	6 in / 150 mm	5/32 in / 400 mm	No	Boxed	6
02228B	8 in / 200 mm	5/32 in / 400 mm	No	Bagged	4
02229B	8 in / 200 mm	3/16 in / 480 mm	No	Bagged	4
01798N	8 in / 200 mm	13/64 in / 520 mm	No	Boxed	3
02230B	8 in / 200 mm	7/32 in / 560 mm	No	Bagged	4
02147N	8 in / 200 mm	1/4 in / 640 mm	No	Boxed	1

TAPER FILES

- American pattern taper file
- Expertly made to effectively file saws with 60° angle teeth
- Triangular shape makes accessing tight internal angles and squaring corners easy
- Single cut construction is ideal for sharpening tools, finish filing, and draw filing
- Edges set and cut for filing gullets between saw teeth
- Tapers slightly towards the point
- Select the right file when filing handsaws for long-lasting performance



	4 IN / 100 MM	5 IN / 125 MM	6 IN / 150 MM	7 IN / 175 MM	8 IN / 200 MM	10 IN / 250 MM
REGULAR	13727MN	13772MN	13807MN	23050N	13875MN	
SLIM	14106MN	14162MN	14224MN	14255MN	14290MN	14341NNN
EXTRA SLIM	14547MN	14599MN	14665MN		14729NN	
DOUBLE EXTRA SLIM	14942MN	14992MN	15024NN	15056NN		

HANDLED:

	6 IN / 150 MM
SLIM	21729NN
EXTRA SLIM	21736NN
DOUBLE EXTRA SLIM	21743NN

ERGONOMIC HANDLED:

	6 IN / 150 MM
SLIM	21729HNN

CATALOG NO.	FILE LENGTH	STYLE	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
13727MN	4 in / 100 mm	Regular	Single	No	Boxed	12
14106MN	4 in / 100 mm	Slim	Single	No	Boxed	12
14547MN	4 in / 100 mm	Extra Slim	Single	No	Boxed	12
14942MN	4 in / 100 mm	Double Extra Slim	Single	No	Boxed	12
13772MN	5 in / 125 mm	Regular	Single	No	Boxed	12
14162MN	5 in / 125 mm	Slim	Single	No	Boxed	12
14599MN	5 in / 125 mm	Extra Slim	Single	No	Boxed	12
14992MN	6 in / 150 mm	Double Extra Slim	Single	No	Boxed	12
13807MN	6 in / 150 mm	Regular	Single	No	Boxed	12
14224MN	6 in / 150 mm	Slim	Single	No	Boxed	12
14665MN	6 in / 150 mm	Extra Slim	Single	No	Boxed	12
15024NN	6 in / 150 mm	Double Extra Slim	Single	No	Boxed	12
23050N	7 in / 175 mm	Regular	Single	No	Boxed	12
14255MN	7 in / 175 mm	Slim	Single	No	Boxed	12
15056NN	7 in / 175 mm	Double Extra Slim	Single	No	Boxed	12
13875MN	8 in / 200 mm	Regular	Single	No	Boxed	12
14290MN	8 in / 200 mm	Slim	Single	No	Boxed	12
14729NN	8 in / 200 mm	Extra Slim	Single	No	Boxed	12
14341NNN	10 in / 250 mm	Slim	Single	No	Boxed	12
21729NN	6 in / 150 mm	Slim	Single	Yes	Carded	6
21736NN	6 in / 150 mm	Extra Slim	Single	Yes	Carded	6
21743NN	6 in / 150 mm	Double Extra Slim	Single	Yes	Carded	6
21729HNN	6 in / 150 mm	Slim	Single	Yes (Ergonomic)	Carded	6

Select the best file for your Saw.

The suggested size and type of file will give the best result.

NUMBER OF SAW POINTS	FILES RECOMMENDED
4	8 in Regular
5	7 in Regular 10 in Slim
5 ½	7 in Regular 10 in Slim
6	5 in or 6 in Regular 7 in or 8 in Slim
7	6 in or 7 in Slim

NUMBER OF SAW POINTS	FILES RECOMMENDED
8	4 in Regular 6 in Slim 7 in Extra Slim 8 in Double Extra Slim
9	5 in Slim 6 in Extra Slim 7 in Double Extra Slim
10	5 in Slim 5 in or 6 in Extra Slim

NUMBER OF SAW POINTS	FILES RECOMMENDED
11	4 in Slim 5 in Extra Slim 6 in Double Extra Slim
12	5 in Extra Slim
13, 14	4 in Slim 5 in Extra Slim
15, 16	4 in Double Extra Slim

AMERICAN
PATTERN FILES

AMERICAN
PATTERN FILES

WARDING FILES

- American pattern files available in bastard and smooth cut in a variety of the most common lengths
- Used primarily by locksmiths in repairing and filing the ward notches in keys
- Thin rectangular shape lets you work on fine objects or in small areas
- Double-cut on sides and single-cut on edges for more versatile performance
- Also suited for use in narrow spaces where other files won't fit

	4 IN / 100 MM	6 IN / 150 MM	8 IN / 200 MM
BASTARD CUT	16507NN	16663NN	16761NN
SMOOTH CUT	16573NN	16729NN	16827NN



CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
16507NN	4 in / 100 mm	Bastard	No	Boxed	12
16573NN	4 in / 100 mm	Smooth	No	Boxed	12
16663NN	6 in / 150 mm	Bastard	No	Boxed	12
16729NN	6 in / 150 mm	Smooth	No	Boxed	6
16761NN	8 in / 200 mm	Bastard	No	Boxed	12
16827NN	8 in / 200 mm	Smooth	No	Boxed	12

THREE SQUARE FILES

- American pattern triangle file available in bastard and smooth cut styles
- Double-cut pattern is perfect for rougher work or removing material quickly
- For use by machinists for filing internal angles
- Filing taps and gutters
- More acute than right angles, clearing out square corners
- Sharp corners are slightly set and cut
- Cut to the point

	6 IN / 150 MM	8 IN / 200 MM	10 IN / 250 MM
BASTARD CUT	15925NNN	16036NNN	16147NNN
SMOOTH CUT	15991NNN	16102NNN	



CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
15925NNN	6 in / 150 mm	Bastard	No	Boxed	12
15991NNN	6 in / 150 mm	Smooth	No	Boxed	12
16036NNN	8 in / 200 mm	Bastard	No	Boxed	12
16102NNN	8 in / 200 mm	Smooth	No	Boxed	12
16147NNN	10 in / 250 mm	Bastard	No	Boxed	12

4-IN-1 HAND RASPS

- 4-in-1 combination file and wood rasp
- Includes two types of rasps and two files
- Half-round wood rasp for enlarging round surfaces
- Flat wood rasp for rapid stock removal
- Both half-round and flat files for smoothing curved surfaces
- Precision engineered to provide maximum material removal per stroke and long product life
- Machine milled for precise material removal
- Reduces the number of files needed on a job

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
18924NNN	8 in / 200 mm	Rasp / Single / Double	No	Boxed	6



PATTERN MAKER'S CABINET RASPS

- American pattern rasp
- Used primarily by cabinetmakers and other woodworking trade professionals
- Versatile half-round shape lets you work on a variety of projects
- Narrow-pattern cut edges let you file material in narrow, restricted areas
- Used when a smooth wood finish is required
- Tanged design integrates with any Crescent Nicholson adjustable handle

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
18846N	10 in / 250 mm	Second	No	Boxed	6
18861N	10 in / 250 mm	Smooth	No	Boxed	6



CABINET RASPS

- American pattern rasp
- Used by cabinetmakers and woodworkers
- Half-round shape for use on concave, convex, and flat surfaces
- Single cut on edges for applying a smooth finish
- Curved side of rasps similar to half-round rasps but has larger radius
- Tanged design integrates with any Crescent Nicholson adjustable handle

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
17615N	8 in / 200 mm	Regular Second	No	Boxed	12
17683N	10 in / 250 mm	Regular Second	No	Boxed	6
17751N	12 in / 300 mm	Regular Second	No	Boxed	6
17615BC	8 in / 200 mm	Regular Second	Yes	Flow Pack	12
17683BC	10 in / 250 mm	Regular Second	Yes	Flow Pack	12



AMERICAN
PATTERN FILES

AMERICAN
PATTERN FILES

WOOD RASPS

- American pattern rasp with a bastard cut
- Used by woodworkers, hobbyists and plumbers
- Ideal for use removing stock from wood or soft metal materials
- Used in places for which their shapes make them particularly effective
- Tanged design integrates with any Crescent Nicholson adjustable handle

	8 IN / 200 MM	10 IN / 250 MM	12 IN / 300 MM	14 IN / 350 MM
FLAT		19136N		
HALF ROUND	19394N	19427N	19460N	19493N
ROUND		19875		



CATALOG NO.	FILE LENGTH	FILE SHAPE	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
19394N	8 in / 200 mm	Half Round	Bastard	No	Boxed	12
19136N	10 in / 250 mm	Flat	Bastard	No	Boxed	6
19427N	10 in / 250 mm	Half Round	Bastard	No	Boxed	6
19875	10 in / 250 mm	Round	Bastard	No	Boxed	12
19460N	12 in / 300 mm	Half Round	Bastard	No	Boxed	6
19493N	14 in / 350 mm	Half Round	Bastard	No	Boxed	6

MAGICUT® PLATER'S SPECIAL HORSE RASP

- American pattern rasp
- Maximum cutting surface design gives rapid removal and smoother finish
- Single cut on edges for applying a smooth finish
- Opposite side has the unique Crescent Nicholson Magicut® file pattern
- Narrow chip breakers created by steep angled serrations reduce clogging
- Rectangular shape lets you smooth and sharpen straight surfaces
- Faster cutting than conventional horse rasps
- Has 6 teeth per row vs. 5 teeth per row on standard horse rasps
- Tanged design integrates with any Crescent Nicholson adjustable handle

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
18130N	14 in / 350 mm	Rasp/Magicut®	No	Boxed	6



HORSE RASP

- American pattern rasp
- Rectangular shape provides maximum surface area for faster filing
- Single cut on edges for applying a smooth finish
- Tanged design integrates with any Crescent Nicholson adjustable handle
- Features rasp teeth down one side and file teeth down the other side
- Heavy-duty design is thicker than Plater's Special and is ideal for hot rasping

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
18057N	14 in / 350 mm	Rasp/Double	No	Boxed	6



HORSE RASPS WITH PLAIN 1/2 FILE

- American pattern rasp and plain 1/2 file on opposite ends of the same tool
- Designed for shoeing racehorses, riding horses, and ponies
- Double-ended with rasp teeth on one side and file teeth on the other
- Teeth on both sides of the body for variable use
- Rectangular shape is easy to transport and provides maximum filing surface

CATALOG NO.	FILE LENGTH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
17873N	12 in / 300 mm	Rasp Punch/Coarse	No	Boxed	6
17903N	14 in / 350 mm	Rasp Punch/Coarse	No	Boxed	6



MILLED TOOTH BODIFILES

- A flexible milled tooth body file with a curved-tooth pattern and no tang
- For smooth, rapid work on cast iron, bronze, lead, babbitt, or aluminum
- A good choice for filing down zinc or plastic stock
- Cuts any steel up to the hardness of annealed tool steel
- Rectangular file for maximum material removal
- Curved-cut pattern that leaves a smooth finish in even hard metals
- Pitch and rake designed to avoid pinning or binding even during heavy use
- 8 teeth per inch; cut: 50-908 standard

CATALOG NO.	FILE LENGTH	TEETH PER INCH	FILE CUT	HANDLED	PACKAGING	SHELF PACK QTY.
20189N	14 in / 350 mm	8	50-908 Standard	No	Boxed	6



AMERICAN
PATTERN FILES

AMERICAN
PATTERN FILES

FILE CLEANERS

- Perfect for general cleaning of file teeth
- Helps remove fillings, dirt, rust, burrs, corrosion, and most buildups of foreign material on metal
- File card unclogs teeth on finer cut files, allowing the abrasive to cut properly each time
- Cleaning files helps with long lasting performance



CATALOG NO.	FILE LENGTH	DESCRIPTION	HANDLED	PACKAGING	SHELF PACK QTY.
21458	10 in / 250 mm	10 in File Card	Yes (Wooden)	Boxed	10

FILE CLEANERS

- Perfect for general cleaning of file teeth
- Helps remove fillings, dirt, rust, burrs, corrosion, and most buildups of foreign material on metal
- File card and brush unclog teeth on finer cut files, allowing the abra- sive to cut properly each time
- Wood base construction offers durability and ease of grip, so you can work confidently over time
- Cleaning files helps with long lasting performance



CATALOG NO.	FILE LENGTH	DESCRIPTION	HANDLED	PACKAGING	SHELF PACK QTY.
21467	10 in / 250 mm	10 in File Card and Brush	Yes (Wooden)	Boxed	6

ERGONOMIC FILE HANDLE

- Comes with two interchangeable cushion inserts
- Designed to fit most popular files
- Sleek black design
- Rubber-coated, ergonomic grip shaped for better comfort and control
- Rear taper, wide middle, and flared neck increases push force



CATALOG NO.	OVERALL LENGTH	PACKAGING	SHELF PACK QTY.
21474H	4.5 in / 115 mm	Carded	6

PLASTIC SCREW-ON HANDLES

- Screw-on design fits most popular files
- For professionals or DIYers
- Handle made of strong high-impact material
- Contoured to fit hand for straight, lathe, and draw filing
- Non-slip textured finish for better grip



CATALOG NO.	OVERALL LENGTH	HANDLE NO.	PACKAGING	SHELF PACK QTY.
T21484	3.5 in / 90 mm	PH1	Carded	12
21493	3.75 in / 95 mm	PH2	Carded	12
T21502	3.75 in / 95 mm	PH3	Carded	12
21512	4.125 in / 105 mm	PH4	Carded	12
21513	4.125 in / 105 mm	PH5	Carded	12
21514	4.75 in / 120 mm	PH6	Carded	12
21515	5 in / 130 mm	PH7	Carded	12
21516	5 in / 130 mm	PH8	Carded	12

SELECT THE CORRESPONDING HANDLE FOR YOUR FILE

FILE TYPE	4 IN / 100 MM	5 IN / 100 MM	6 IN / 100 MM	8 IN / 100 MM	10 IN / 100 MM	12 IN / 100 MM	14 IN / 100 MM	16 IN / 100 MM
MILL FILE	PH3		PH4	PH5	PH5	PH6	PH7	-
FLAT FILE	PH3		PH4	PH5	PH5	PH6	PH7	-
HAND FILE	-	-	PH4	PH5	PH6	PH7	-	-
HALF ROUND FILE	PH3	-	PH4	PH5	PH6	PH7	PH8	PH8
WARDING FILE	PH3	-	PH4	PH4	-	-	-	-
KNIFE FILE	PH3	-	PH4	PH5	PH5	PH6	-	-
ROUND FILE	PH1	-	PH3	PH4	PH4	PH5	PH7	-
SQUARE FILE	PH1	PH2	PH3	PH4	PH4	PH5	PH6	-
TAPER FILE	PH1	PH2	PH3	PH4	PH5	-	-	-
HORSE RASP	-	-	-	-	-	-	PH8	-
HORSE RASP WITH PLAIN ½ FILE	-	-	-	-	-	PH8	PH8	-
MAGICUT PLATER'S SPECIAL HORSE RASP	-	-	-	-	-	-	PH8	-



Demolition Tools

Pry Bars •
Renovation Bars •
Nail Pullers

Crescent - the iconic hand tool brand

Crescent® revolutionized the wrench category in the early 1900s with its introduction of the original adjustable wrench. That one advancement, in effect, replaced an entire set of dedicated-size wrenches. The brand remains true to its heritage of offering quality tools that solve real problems and continues to introduce new innovations across various professional and DIY product categories. Crescent® is the hand tool brand you can trust to get the job done faster.

DIYERS AND TRADESMEN ALIKE CAN COUNT ON THE DUAL CLAW WRECKING BAR FOR EVERY HOME RENOVATION PROJECT.

Dual Claw Design
Position tool on joist and forks pry up with even pressure on both sides to quickly remove boards



Increased Leverage
Less effort and faster action

Gripping Teeth
Assist in preventing board slippage

Deep Central Nail Puller
Quickly removes stubborn nails

INDEXING HEAD
MAX LEVERAGE
44"
1118 mm

Rugged Indexing Joint
Allows for 180-degree flexibility and increased leverage

BULL BAR INDEXING DECKING REMOVAL TOOL

- Double fork design provides balanced lift on both sides of the nail for faster, cleaner, lower-effort board removal
- Rugged indexing joint allows for maximum flexibility and increased leverage
- Precision tips designed for fast access between boards and reduced damage for reclaiming materials
- Gripping teeth on forks assist in preventing board slippage
- Center nail puller allows better balance and more leverage



CATALOG NO.	TIP LENGTH	TIP WIDTH	OVERALL LENGTH	PRODUCT WEIGHT KG
OKB446X	115 mm	140 mm	1118 mm	3,47

CODE RED™ INDEXING FLAT RENOVATION BARS

- Head indexes through an arc of over 180° and locks in 15 positions for maximum access
- Angled head with nail slot for prying and pulling nails or boards
- Extra-wide prying end prevents damage by spreading the prying force
- Raised heavy-duty striking surface on the head to assist in demolition
- Solid construction withstands wear, pressure, and damage
- Full steel body for increased durability and longer product life
- Heat-treated striking face
- Durable two-tone grip provides comfort, control, and slip prevention



CATALOG NO.	TIP LENGTH	TIP WIDTH	OVERALL LENGTH	PRODUCT WEIGHT KG
DB18X	95 mm	55 mm	457 mm	1,20
DB30X	95 mm	55 mm	762 mm	1,86

CODE RED™ ADJUSTABLE PRY BARS

- Adjustable jaws slide and clamp to fit onto objects for straightening and prying
- Large claw on head adjusts for best leverage when pulling nails
- Crow bar end with nail puller slot
- Hammer head surface for striking



CATALOG NO.	TIP LENGTH	TIP WIDTH	OVERALL LENGTH	PRODUCT WEIGHT KG
DB16	127 mm	44 mm	406 mm	1,67
DB24	127 mm	44 mm	610 mm	2,01

INDEXING NAIL PULLER

- Indexing head with 14 locking positions for quick angle adjustment up to 180 degrees for optimized leverage
- Striking face allows for claw to be driven under nails that are under the surface
- Designed to reach between studs, joists, and other obstructions
- Ergonomic, contoured handle for superior grip and user safety



CATALOG NO.	TIP LENGTH	TIP WIDTH	OVERALL LENGTH	PRODUCT WEIGHT KG
DB12NP	67 mm	23 mm	320 mm	0,51

NAIL PULLER

- Forged alloy box-joint and hardened, tempered jaw
- Black enamel finish offers extra durability
- Works great on flush, hard-to-grip nails
- Ideal for remodeling or renovation projects
- 16 penny nail jaw capacity
- 19 in length and 24 in full extension



CATALOG NO.	TIP LENGTH	TIP WIDTH	CONT. LENTH	EXT. LENGTH	PRODUCT WEIGHT KG
56	28 mm	6 mm	483 mm	610 mm	1,91

INDEX

CATALOG NO.	PAGE	CATALOG NO.	PAGE	CATALOG NO.	PAGE	CATALOG NO.	PAGE	CATALOG NO.	PAGE	CATALOG NO.	PAGE	CATALOG NO.	PAGE	CATALOG NO.	PAGE
M1R	11	L1125BCM	39	MW30MEU	44	OCN1294SF590N	48	04828N	60	07085N	62	11969	65	16663NN	68
M2R	11	L1116CM	39	LFSSI	45	OCN1293SMEF5N	48	04861N	60	07894NN	62	12019	65	16729NN	68
M3R	11	L1125CM	39	LFSME	45	OC1291SF590N	48	04896N	60	07917NN	62	12051	65	16761NN	68
M1X	13	L1116CME2	39	LFBSI	45	OC2276DN	49	04927N	60	07941NN	62	12084	65	16827NN	68
M2X	13	L1125CME2	39	LSR150	45	OC2276MEN	49	04960N	60	08243NN	63	12134	65	15925NNN	68
M3X	13	Y23CM	40	LSR300	45	9150LN	49	04995N	60	08306NN	63	12166	65	15991NNN	68
M5R	14	Y23CME	40	LSR600	45	22015HNNN	56	05026N	60	08354NN	63	12199	65	16036NNN	68
M6R	15	Y25CM	40	LSR1000	45	22030HNNN	56	05059N	60	08385NN	63	12248	65	16102NNN	68
M7R	15	Y25CME	40	C1276N	46	21701HNN	56	05094N	60	08416NN	63	12967BC	65	16147NNN	68
M8OSS	15	Y35CM	40	C1278N	46	21842HNN	56	05125N	60	08497NN	63	11904BC	65	18924NNN	69
M400N	16	Y35CME	40	C1278DN	46	21748HNN	56	05158N	60	08529NN	63	11936BC	65	18846N	69
MPC3N	16	Y38CM	40	C2276DN	46	21868HNN	56	05190N	60	08560NN	63	11969BC	65	18861N	69
MPX5	16	Y38CME	40	CD2750MMEN	46	21729HNN	56	05194N	60	08642NN	63	12019BC	65	17615N	69
CW812S	19	YU823CM	40	CD27300MMN	46	22040HNNN	57	05225N	60	08673NN	63	12051BC	65	17683N	69
CW10T	19	YU823CME	40	C2276MEN	46	04995BC	57	05258N	60	08704NN	63	12084BC	65	17751N	69
CW10TTL	19	YU835CM	40	CN129012SF5N	46	22025NNN	57	05307N	60	08737NN	63	02144N	66	17615BC	69
CW10TM	19	YU835CME	40	CN1290SF590N	46	21868NN	57	04795BC	60	08768NN	63	01606N	66	17683BC	69
CW11TM	20	YU838CM	40	CN1291SF590N	46	03732NN	57	04861BC	60	08799NN	63	01611N	66	19394N	70
CW7T	20	YU838CME	40	CN1293SDF590N	46	21858N	57	04896BC	60	08832NN	63	02228B	66	19136N	70
CW5T	20	L912CM	41	CN1293SF5871N	46	21839NN	57	04927BC	60	08894NN	63	02229B	66	19427N	70
W8TA	21	L916CM	41	CN1293SF590N	46	21854	57	04960BC	60	21687NN	63	01798N	66	19875	70
W912	21	L925CM	41	CN1294SF5871N	46	T21455	57	04995BC	60	21694NN	63	02230B	66	19460N	70
WHCS2	21	L503CM	41	CN1294SF590N	46	14255MN	57	05059BC	60	21701NN	63	02147N	66	19493N	70
WEZSNIPEU	22	L505CM	41	CN1296SF590N	46	T13196	57	05738N	61	21687HNN	63	13727MN	67	18130N	70
W20	22	L508CM	41	CN1290SMEN	46	21908N	59	05771N	61	21694HNN	63	14106MN	67	18057N	71
W20LH	22	W606PD	41	CN1293SMEF59N	46	21910N	59	05804N	61	21701HNN	63	14547MN	67	17873N	71
W22N	22	W606PM	41	CN1294SMEF59N	46	03367NN	59	05853N	61	21842HNN	63	14942MN	67	17903N	71
W20SP	22	Y612CM	42	CN1295SME590N	46	03434NN	59	05886N	61	06706NN	64	13772MN	67	20189N	71
W1225HLSP	23	Y613CM	42	CN1296SMEF59N	46	03467NN	59	05919N	61	06704NN	64	14162MN	67	21458	72
W20P	23	Y613ME	42	CN1298SME590N	46	03500NN	59	05968N	61	12790	64	14599MN	67	21467	72
W22P	23	Y822CM	42	C129012SFN	47	03533NN	59	06001NN	61	12857	64	14992MN	67	21474H	72
W20W	23	Y822CME	42	C1290SF590N	47	03566NN	59	06034N	61	12967	64	13807MN	67	T21484	73
W22W	23	Y823CM	42	C1291SF590N	47	03599NN	59	06084N	61	13033	64	14224MN	67	21493	73
166	24	Y823CME	42	C1293SF590N	47	03632NN	59	06117N	61	13081	64	14665MN	67	T21502	73
1DSN	24	ST10CM	43	C2910MME590N	47	03665NN	59	06150N	61	13147	64	15024NN	67	21512	73
WKFPNS1EU	24	ST10CME	43	C2915MME590N	47	03698NN	59	05853BC	61	T13196	64	23050N	67	21513	73
WKAR2EU	25	ST20CM	43	C2920MME150MN	47	03731NN	59	05968BC	61	13262	64	14255MN	67	21514	73
WKF2EU	25	ST20CME	43	C2920MME590N	47	03764NN	59	06001BC	61	13310	64	15056NN	67	21515	73
WRPCLGEU	25	ST30CM	43	C2930MME590N	47	03797NN	59	06711N	62	13376	64	13875MN	67	21516	73
WRPCMDEU	25	ST30CME	43	1290SF590N	47	03830NN	59	06773N	62	13081BC	64	14290MN	67	DKB446X	76
WRPCSMEU	25	FE30CME	43	1293SF590N	47	03863NN	59	06804N	62	13196BC	64	14729NN	67	DB18X	77
WC3SN	26	FE60CME	43	1293SM590N	47	03929NN	59	06836N	62	11526NN	65	14341NNN	67	DB30X	77
WC5LN	26	FE90CME	43	S1291F590N	47	21748HNN	59	06867N	62	11592NNN	65	21729NN	67	DB16	77
WC5SN	26	FT30CM	44	S1293F590N	47	21868HNN	59	06898N	62	11716	65	21736NN	67	DB24	77
WS4N	26	FT50CM	44	590GN	48	04695N	60	06930N	62	11748NN	65	21743NN	67	DB12NP	77
WS3N	27	FT30CME	44	590GMN	48	04729N	60	06961N	62	11781	65	21729HNN	67	56	77
WS6N	27	FT50CME	44	590GMEN	48	04762N	60	06992N	62	11904	65	16507NN	68		
L1116BCM	39	MW16MEU	44	OCN1290SF590N	48	04795N	60	07054N	62	11936	65	16573NN	68		



Crescent[®], Wiss[®], Lufkin[®], Nicholson[®]
are registered trademarks of Apex Brands, Inc.,
A Division of Apex Tool Group, LLC.

HT1050 100CR

Apex Tool Group B.V.
Phileas Foggstraat 16, 7821 AK Emmen
The Netherlands
T. +31 (0) 591 667 504
www.apextoolgroup.com